

## Grey Acetal Straight Adaptor (BSP Thread)

### Converts an imperial push-fit connection to an imperial threaded connection

#### Overview

John Guest grey push-fit acetal straight adaptor (BSP thread) fitting converts imperial pipe to an imperial BSP type thread for connection to a fitting, fixture or appliance. Fast and simple to install, John Guest push-fit fittings create an instant push-fit connection and leak tight seal without the need for tools, hot works or sealing agents.

The unique collet locking design firmly and securely holds the pipe in place without deforming the pipe or restricting flow. Fittings are corrosion resistant and fully demountable, improving system performance and reducing system downtime during maintenance.

Manufactured in grey push-fit acetal copolymer, the fitting is suitable for foodstuff, potable liquids and inert gases. In accordance with the British Beer & Pub Association Code of Practice, fittings can also be used with N2/CO2 and mixed gas dispense lines, as well as air, pneumatic and vacuum applications. All John Guest fittings are manufactured and assembled in the UK.

#### **Features & Benefits**

- Plastic push-fit adaptor for converting to imperial BSP threads
- Rigid and hardwearing acetal copolymer material
- Food grade material suitable for foodstuff, potable liquids, inert gases, air, pneumatic and vacuum
- Instant push-fit connection and leak tight seal
- Connect, disconnect and reconnect in seconds without tools
- No scale build up improves performance and equipment lifespan
- Superior flow characteristics
- Compatible with LLDPE or soft metal pipe/tube

Product code	Description	Size	Bag QTY
PI010812S	Straight Adaptor (BSP Thread)	1/4" x 1/4"	10
PI011212S	Straight Adaptor (BSP Thread)	3/8" x 1/4"	10
PI011213S	Straight Adaptor (BSP Thread)	3/8" x 3/8"	10
PI011613S	Straight Adaptor (BSP Thread)	1/2" x 3/8"	10










# **Grey Acetal Straight Adaptor** (BSP Thread)

Application	Maximum & Minimum Temperatire	Maximum working pressure, bar
Potable Liquid	1°C -65°C	16 Bar (7 Bar @ 65°C)

Materials	
Body	Plastic
O-Ring	Nitrile, Black
Collet	Acetal Copolymer (Unfilled)
Collet Teeth	Stainless Steel 301

Application	
Potable Liquid	
Food Grade Liquid	
Inert Gases	
Vacuum	

**Dimensions** – All measurements in mm unless otherwise stated



Product No.	Size	A Tube O/D	В	С	D	Е	F	G
PI010812S	1/4" x 1/4 BSP	0.250 +0.001 / -0.004 [6.35 +0.03 / -0.10]	0.62 [15.7]	0.62 [15.7]	0.31 [8.0]	0.21 [5.3]	0.67 [17.0]	0.72 [18.3]
PI011212S	3/8" x 1/4 BSP	0.375 +0.001 / -0.004 [9.53 +0.03 / -0.10]	0.78 [19.7]	0.93 [23.5]	0.31 [8.0]	0.28 [7.1]	0.79 [20.0]	0.79 [21.8]
PI011213S	3/8" x 3/8 BSP		0.78 [19.7]	0.74 [18.9]	0.37 [9.3]	0.28 [7.0]	0.87 [22.0]	0.95 [24.1]
PI011613S	1/2" x 3/8 BSP	0.500 +0.001 / -0.004 [12.7 +0.03 / -0.10]	0.91 [23.0]	1.04 [26.3]	0.37 [9.3]	0.33 [8.5]	0.94 [24.0]	1.04 [26.4]

Dimensions in Inches & [mm]