

Brass Polypropylene Female Connector (BSPP Thread)

Quickly and securely connects pipework to coffee brewing equipment, drinks dispense and vending machines

Overview

John Guest brass polypropylene push-fit female connector (BSPP thread) fitting connects pipework to coffee brewing equipment, drinks dispense and vending machines with a GH type thread. Fast and simple to install, John Guest push-fit fittings create an instant push-fit connection and leak tight seal without the need for tools, hot works or sealing agents.

The unique collet locking design firmly and securely holds the pipe in place without deforming the pipe or restricting flow. Fittings are corrosion resistant and fully demountable, improving system performance and reducing system downtime during maintenance.

Manufactured in brass with a polypropylene collet and EDPM O-Ring, fittings are suitable for potable water (10 bar at 20°C) and intermittent hot water applications (4 bar at 60°C). All John Guest fittings are manufactured and assembled in the UK.



Features & Benefits

- Durable brass fitting with polypropylene collet and EDPM O-Ring
- Suitable for potable liquid, intermittent hot water and foodstuff. Not suitable for compressed air, pneumatics or vacuum applications.
- Instant push-fit connection and leak tight seal
- Connect, disconnect and reconnect in seconds without tools
- No scale build up improves performance and equipment lifespan
- Superior flow characteristics
- Compatible with LLDPE or soft metal pipe/tubing

Product Code	Description	Size
NC2145	Brass Female Connector	1/4" - 3/4"
NC2249	Brass Female Connector	3/8" - 3/4"



Brass Polypropylene Female Connector (BSPP Thread)

Application	Maximum working temperature °C	Maximum working pressure, bar
Potable Water	20	10
Intermittent Hot Water	60	4

Materials	
Body	Brass & Polypropylene
O-Ring	EPDM
Collet	Polypropylene
Collet Teeth	Stainless Steel 301

Application
Potable Liquid
Food Grade Liquids
Not Suitable for Compressed Air & Vacuum

Dimensions – All measurements in mm unless otherwise stated

