



**Reliance**<sup>®</sup>  
VALVES



# Valves and Industrial

Trade Price Guide

**RMC**



-  1800 810 803
-  1800 062 669
-  [sales.au@rwc.com](mailto:sales.au@rwc.com)
-  [rwc.com.au](http://rwc.com.au)



Reliance Worldwide Corporation (Aust.) Pty. Ltd.  
27-28 Chapman Place, Eagle Farm QLD 4009,  
Australia | ABN 71 004 784 301

## Valve Application Guide

Valve Application Guide	1
-------------------------	---

## Temperature Control Valves

Tempering Valves	2
Slick Combo Kits	2
Swift Kit	2
SharkBite 4-in-1	2
Miscellaneous Temperature Control Valves	3
Stainless Steel Cabinet Kits	3

## Pressure and Temperature Control Valves

P&T Relief Valves – HT55 15mm (1/2")	4
P&T Relief Valves – HT575 20mm (3/4")	4
P&T Relief Valves – HTE55-1 15mm (1/2") with 1" Extension	4
P&T Relief Valves – HTE575-1 20mm (3/4") with 1" Extension	4
P&T Relief Valves – HTE55-2 15mm (1/2") with 2" Extension	4
P&T Relief Valves – HTE575-2 20mm (3/4") with 2" Extension	5
P&T Relief Valves – HTT55-1 15mm (1/2") Integrated Outlet	5
Pressure, Temperature and Vacuum Relief Valves – Low Pressure	5

## Control Valves

Expansion Control Valves – High Pressure	6
Insulation Kit - Standard Set	6
Insulator P&T Valve	6
Expansion Control Valves – Low Pressure	7
Solar Control Combination Valves	7
Solar Non-Return Valve	7

## Pressure Limiting Valves

PressureGuard Pressure Limiting Valves – PSL Series	8
Pressure Limiting Valves – PS Series – PS50	8
Pressure Limiting Valves – PS Series – PS75	8
Pressure Limiting Valves – PS Series – PS100	8

## Pressure Reducing Valves

Gauges for Adjustable Pressure Reducing Valves	9
Pressure Reducing Valves – Non-Adjustable	9
General Water Applications and Coolers (PRV) – Non-Adjustable	9
Thermal Balancing Valves	9
PressureGuard Compact Pressure Reducing Valves – Adjustable	9
PressureGuard Compact High Pressure Reducing Valves – Adjustable	10
PressureGuard Compact Pressure Reducing Valves – Right Angle	10
Commercial Pressure Reducing Valves	10
High Pressure Reducing Valves – Adjustable	10
Pressure Reducing Valves – Adjustable	10
Spare Parts for General Application Adjustable PRVs	11

## Non-Return Valves

Non-Return Valves	12
Undersink Connection Valves	12
Combination Non-Return Isolating Valves	12

## Cold Water Valves and Products

Y Strainers	13
Vacuum Relief Valves	13
HydroSave Flow Regulating Discs	13
HydroSave Inline Flow Controllers	13
HydroSave Water Saving Aerators	14
HydroSave Water Saving Aerator Inserts	14
HydroSave Water Saving Kit	14
Noise Reduction Valve	14
In-Line Drain Cock	15
Plumbers Test Kit	15
Pressure Limiting Value with Dual Check	15
RMC FloodGuard Hose Burst Shut Off Valve	15
Sioux Chief Hydra-Rester (Boxed) 15mm – 50mm	16
Sioux Chief Hydra-Rester (Carded Hang-Sell) 15mm – 20mm	16
Sioux Chief Mini-Rester (Carded Hang-Sell) 15mm – 20mm	16

## Tap Restoration

HydroSeal O-Ring Tap Valves	17
HydroSeal Tap Restoration Tools	17
HydroSeal Tap Restoration Kits	17
HydroSeal Lubricants	17

## Electronic Tapware

Electronic Washing Systems	18
Electronic Flushing Systems	18
Spare Parts and Accessories – Monotronic	18

## Hot Water Meter

Positive Displacement Water Meters 15mm – 40mm	19
--	----

## Cold Water Meters

Endurance Multijet Turbine Water Meters 15mm – 50mm	20
Polymer Positive Displacement Water Meters 15mm - 20mm	20
Positive Displacement Water Meters 15mm – 40mm	21
Woltman Industrial ISO Length Water Meter 50mm – 200mm	22
Woltman Industrial Australian Length Water Meter 50mm – 200mm	22
Woltman Meters Pulse Output Accessories	22
Octave Ultrasonic Industrial 50mm – 300mm	23
Octave Meters Pulse Output Accessories	23
Round Flange Water Meter Spacers	23

## Water Meters and Accessories

Remote Digital Displays	24
Recycled Water Kits	24
Water Meter Kits	24
Sub Metering Kits	24
Meter Housings	25
Water Meter Box Kits	25
Water Service Ball Valves	25
90° Water Service Ball Valves – Lockable	25
Recycled Water Ball Valves	26
Melbourne Water Kits	26
Hunter Water Kits	26
Meter Couplings	26
Meter Flange, Seal and Bolt Kits	27
Meter Gaskets and Sealing Rings	27
Meter Dirt Boxes	27

## Ball Valves

Ball Valves – Potable Water Approved	28
Water Service Ball Valves – Water Approved (Long Handle)	28
Ball Valves Butterfly Handle – Gas Approved	28
Ball Valves – Water Approved (Stainless Steel)	29
Ball Valves Lever Handle – Gas Approved	29
Ball Valves – Gas and Water Approved	30

## Backflow Valves

Hose Connection Vacuum Breakers – Low Hazard	31
Dual Check Valves (Dual CV) – Low Hazard	31
High Temperature Dual Check Valve (Dual CV) – Low Hazard	31
RyeMetal Mini Dual Check Valves (Dual CV) 60°C – Low Hazard	31
RyeMetal Mini Dual Check Valves (Dual CV) 80°C – Low Hazard	31
RyeMetal Dual Check Valves (Dual CV) 60°C – Low Hazard	31
Y Strainers	32
Isolation Valves Butterfly Valves	32

## RWC BEECO Range

BEECO Reduced Pressure Zone Devices (15mm – 200mm)	33
BEECO Reduced Pressure Zone Devices Complete (15mm – 200mm)	33
BEECO Double Check Valves (15mm – 200mm)	33
BEECO Double Check Valves Complete (15mm – 200mm)	34
BEECO Single Check Valves	34
BEECO Single Detector Check Valves	34
BEECO Double Detector Check Valve Assembly	35
Backflow in Stainless Steel Recessed Cabinets	35
Y Strainers (15mm – 50mm)	35
RPZD First Check Valve Assembly	36
RPZD Second Check Valve Assembly	36
RPZD Rubber Kits	36
RPZD Relief Valve Kits	36
DCV First Check Assembly	37
DCV Second Check Valve Assembly	37
DCV Rubber Kits	37

## RMC Flomatic Range

Flomatic Reduced Pressure Zone Devices (15mm – 50mm)	38
Flomatic Reduced Pressure Zone Devices (65mm – 200mm)	38
Flomatic Reduced Pressure Zone Devices Complete (15mm – 50mm)	38
Flomatic Reduced Pressure Zone Devices Complete (65mm – 200mm)	38
Flomatic Double Check Valves (20mm – 50mm)	38
Flomatic Double Check Valves (65mm – 200mm)	39
Flomatic Double Check Valves Complete (20mm – 50mm)	39
Flomatic Double Check Valves Complete (65mm – 200mm)	39
Flomatic Single Check Valves	39
Flomatic Single Detector Check Valves	39
Double Detector Check Valve Assembly	40
Backflow in Stainless Steel Recessed Cabinets	40
RPZD First Check Valve Assembly	40
RPZD Second Check Valve Assembly	41
RPZD Rubber Kits	41
RPZD Relief Assembly Kits	41
DCV First Check Valve Assembly	41
DCV Second Check Valve Assembly	42
DCV Rubber Kits	42

## Backflow Prevention Repair Kits

RyeMetal Backflow Test Kits and Tools / Parts	43
SCVT / SCDAT Rubber Kits	43
Testable Single Check Valves – 7kPa First Check Assembly	43
Testable Single Check Detectors – 35kPa First Check Assembly	43

## Tapping Bands and Ferrule Cocks

SURESEAL Tapping Bands – AC and Compatible Pipe – Series 2	44
SURESEAL Tapping Bands – White PVC Pipe – Series 1	45
SURESEAL Coated Tapping Bands	45
SURESEAL Tapping Bands – Maintenance Type	46
Tapping Kits	46
Tapping Kit Accessories	47
Standard Ferrule Cocks	48
Capped / Bonnet Ferrule Cocks	48
Ferrule Bonnet Assemblies	48
Ferrule Bends	49

## Standpipes

Metered Standpipes	50
Non-Metered Standpipes	50

## Policies, Terms and Conditions, Warranty

Pricing	51
Terms and Conditions	51
Installation	51
Reliance Worldwide Corporation Warranty	51



## Valve Application Guide

### Step One – Determine the P&T Pressure Setting

Refer to label on valve.

# 100

## Litre

Model Number: 9312782

Serial Number: XZ65414

Max Working Pressure: **1000kPa**

Max Supply (No ECV): 800kPa

Max Supply (With ECV): 680kPa

EC Valve Setting: 850kPa

P&T Set Pressure on the heater label

The P&T Relief Valve setting should be the same as the working pressure on the water heater rating label.

### Step Two – Check you have the correct P&T Configuration

1. If the water heater is a new installation, check that the P&T valve provided is rated the same as the working pressure of the water heater.
2. If the valve is a replacement valve (e.g. for maintenance purposes), ensure that the replacement P&T valve is of the exact same configuration and pressure setting as the valve it is replacing.
3. Reading the Date Stamp: 5/02/7.  
The above example would have been manufactured on the 5th day of the 2nd week of 2007. All valves are covered by warranty for 2 years from date of manufacture.




P & T Relief Valve

Expansion Control Valve

### Step Three – Determine the maximum Expansion Control Valve Setting

All RMC water heater valve rating plates are colour coded to make selecting the correct valve easy. Simply match the Reliance P&T Valve with a rating plate of the same colour. Other manufacturer's may use a different colour scheme or pressure range. Always replace with a genuine RMC valve to reduce the chance of voiding a manufacturer's warranty.

Rating Plate Colour	P&T Relief	Expansion Control	Pressure Limiting Valve
	700kPa	550kPa	350kPa
	850kPa	700kPa	500kPa
	1000kPa	850kPa	500kPa
	1400kPa	1200kPa	600kPa



MIX15



MIXSB16



MIX120131



MIXKIT15



MIX11014U

## Tempering Valves

Order Code	Description	Size	List Price
MIX15	Tempering Valve Insulated	15mm	208.73
MIX20	Tempering Valve Insulated	20mm	243.98
MIX15U	Tempering Valve Insulated – Ultra	15mm	314.37
MIX20U	Tempering Valve Insulated – Ultra	20mm	352.10
MIX11511	Tempering Solar – Solar High Flow	20mm	364.67
MIXSB16	SharkBite Tempering Valve	16mm	211.75
MIXSB20	SharkBite Tempering Valve	20mm	240.30
MIXF11116I	SharkBite Tempering Valve Insulated – Solar	16mm	318.93
MIXF11117I	SharkBite Tempering Valve Insulated – Solar	20mm	346.79
MIXRA11009I	SharkBite CU Tempering Insulated	15mm	211.75
MIXRA11116I	SharkBite CU Tempering Valve Insulated – Ultra	15mm	318.93

Maximum hot water supply temperature for standard valves is 90°C. Maximum hot water supply temperature for ultra and solar valves is 99°C. Check valves and strainers on both hot and cold inlets. Union and Compression Fittings included.

## Slick Combo Kits

Order Code	Description	List Price
MIX12013I	Slick Combo Set Insulated	251.51
MIX12015I	Slick Combo Set Insulated – Solar	314.37

## Swift Kit

Order Code	Description	List Price
MIXKIT15	Swift Kit Insulated	226.04

## SharkBite 4-in-1

Order Code	Description	Size	List Price
MIX11014U	SharkBite 4-in-1 Upwards	16mm	205.65
MIX11014D	SharkBite 4-in-1 Downwards	16mm	205.65
MIX11013U	SharkBite 4-in-1 Upwards	20mm	229.17
MIX11013D	SharkBite 4-in-1 Downwards	20mm	229.17




MIX11092

### Miscellaneous Temperature Control Valves

Order Code	Description	Size	List Price
MIX11092	PTCV Primary Temperature Control Valve	20mm (3/4")	383.58
MIX11091	Solar Transfer Valve	20mm (3/4")	352.10

MIX11092 – CAUTION: Not to be used in place of tempering valve nor to supply water outlets intended for sanitary purposes.

MIX11091 – SPECIAL NOTE: This valve has one inlet and two outlets. Refer to documentation supplied with valve.



MIX11167

### Stainless Steel Cabinet Kits

Order Code	Description	Compatible	Inlet Fittings	List Price
MIX11167	Cabinet Kit with 15mm Fittings	MIX15/15U	G 3/4" x G 1/2" B	387.81
MIX11168	Cabinet Kit with 20mm Fittings	MIX15/15U	G 3/4" x G 3/4" B	387.81
MIX11170*	Cabinet Kit with 25mm x 20mm Fittings	MIX20/20U	G 1" x G 3/4" B	401.05
84-013**	Door for MX2221 Cabinet Assembly	MX2221	-	129.17

\* Must be used with a MIX20/20U Tempering Valves only.

\*\* Compatible with MIX11167, MIX11168, MIX11170



HT511

### P&T Relief Valves – HT55 15mm (1/2")

Order Code	Description	Pressure Setting	List Price
HT501	HT55 15mm (1/2")	● 500kPa	165.95
HT503	HT55 15mm (1/2")	● 700kPa	165.95
HT505	HT55 15mm (1/2")	● 850kPa	145.84
HT507	HT55 15mm (1/2")	● 1000kPa	145.84
HT511	HT55 15mm (1/2")	● 1400kPa	145.84



HT707

### P&T Relief Valves – HT575 20mm (3/4")

Order Code	Description	Pressure Setting	List Price
HT701	HT575 20mm (3/4")	● 500kPa	201.20
HT703	HT575 20mm (3/4")	● 700kPa	201.20
HT705	HT575 20mm (3/4")	● 850kPa	201.20
HT707	HT575 20mm (3/4")	● 1000kPa	201.20
HT711	HT575 20mm (3/4")	● 1400kPa	201.20



HTE504

### P&T Relief Valves – HTE55-1 15mm (1/2") with 1" Extension

Order Code	Description	Pressure Setting	List Price
HTE501	HTE55-1 15mm (1/2") with 1" Extension	● 700kPa	191.09
HTE502	HTE55-1 15mm (1/2") with 1" Extension	● 850kPa	191.09
HTE504	HTE55-1 15mm (1/2") with 1" Extension	● 1000kPa	191.09
HTE506	HTE55-1 15mm (1/2") with 1" Extension	● 1400kPa	191.09



HTE703

### P&T Relief Valves – HTE575-1 20mm (3/4") with 1" Extension

Order Code	Description	Pressure Setting	List Price
HTE701	HTE575-1 20mm (3/4") with 1" Extension	● 850kPa	246.44
HTE703	HTE575-1 20mm (3/4") with 1" Extension	● 1000kPa	246.44
HTE705	HTE575-1 20mm (3/4") with 1" Extension	● 1400kPa	246.44



HTE509

### P&T Relief Valves – HTE55-2 15mm (1/2") with 2" Extension

Order Code	Description	Pressure Setting	List Price
HTE509	HTE55-2 15mm (1/2") with 2" Extension	● 850kPa	228.81
HTE511	HTE55-2 15mm (1/2") with 2" Extension	● 1000kPa	228.81
HTE513	HTE55-2 15mm (1/2") with 2" Extension	● 1400kPa	228.81



HTE710

### P&T Relief Valves – HTE575-2 20mm (3/4") with 2" Extension

Order Code	Description	Pressure Setting	List Price
HTE710	HTE575-2 20mm (3/4") with 2" Extension	● 850kPa	257.84
HTE709	HTE575-2 20mm (3/4") with 2" Extension	● 1000kPa	257.84



HTT515

### P&T Relief Valves – HTT55-1 15mm (1/2") Integrated Outlet

Order Code	Description	Pressure Setting	List Price
HTT515	HTT55-1 15mm (1/2") with Integrated Outlet	● 700kPa	231.41
HTT516	HTT55-1 15mm (1/2") with Integrated Outlet	● 850kPa	231.41
HTT517	HTT55-1 15mm (1/2") with Integrated Outlet	● 1000kPa	231.41
HTT518	HTT55-1 15mm (1/2") with Integrated Outlet	● 1400kPa	231.41



LTV501

### Pressure, Temperature and Vacuum Relief Valves – Low Pressure

Order Code	Description	Pressure Setting	List Price
LTV501	LTV55 15mm (1/2")	Available in 65kpa – 280kPa	628.73
LTV701	LTV575 20mm (3/4")	Available in 65kpa – 280kPa	628.73

When ordering please state required pressure: between 65kPa - 280 kPa.



H502



HPNR503

### Expansion Control Valves – High Pressure

Order Code	Description	Size	Pressure Setting	List Price
H502	H50	15mm (1/2")	● 550kPa	121.97
H504	H50	15mm (1/2")	● 700kPa	108.13
H506	H50	15mm (1/2")	● 850kPa	108.13
H511	H50	15mm (1/2")	● 1200kPa	108.13
H513	H50	15mm (1/2")	● 1400kPa	121.97
H702	H75	20mm (3/4")	● 550kPa	155.95
H703	H75	20mm (3/4")	● 700kPa	155.95
H704	H75	20mm (3/4")	● 850kPa	155.95
H707	H75	20mm (3/4")	● 1200kPa	155.95
H708	H75	20mm (3/4")	● 1400kPa	155.95
HPNR503	HPNR UR	15mm (1/2")	● 1400kPa	203.67



VC137

### Insulation Kit - Standard Set

Order Code	Description	List Price
VC137	Insulation Kit - Standard Set	17.64



HT1012

### Insulator P&T Valve

Order Code	Description	List Price
HT1012	Insulator P&T Valve	5.13



LV501

### Expansion Control Valves – Low Pressure

Order Code	Description	Size	Pressure Setting	List Price
LV501	LV50	15mm (1/2")	Available in 65kpa – 280kPa	534.48
LV701	LV75	20mm (3/4")	Available in 65kpa – 280kPa	534.48

When ordering please state required pressure: between 65kPa - 280 kPa.



PSH508

### Solar Control Combination Valves

Order Code	Description	Size	Pressure Setting	List Price
PSH508	PSH50 – Combination Pressure Limiting and Expansion Valve	15mm (1/2")	350/600kPa	371.02
PSH509	PSH50 – Combination Pressure Limiting and Expansion Valve	15mm (1/2")	500/850kPa	371.02
PHNS507	PHN50S – Combination Pressure Limiting and Expansion Valve with Non Return Valve and Strainer	15mm (1/2")	350/600kPa	490.41
PHNS508	PHN50S – Combination Pressure Limiting and Expansion Valve with Non Return Valve and Strainer	15mm (1/2")	500/850kPa	490.41



PHNS508



SNR505

### Solar Non-Return Valve

Order Code	Description	Maximum Temperature	List Price
SNR505	Solar Non-Return Valve	170°C	69.22




PSL75

## PressureGuard Pressure Limiting Valves – PSL Series

Order Code	Description	Size	Pressure Setting	List Price
PSL511	PSL50	15mm FI x 15mm FI (1/2")	● 350kPa	111.88
PSL512	PSL50	15mm FI x 15mm FI (1/2")	● 500kPa	111.88
PSL513	PSL50	15mm FI x 15mm FI (1/2")	● 600kPa	111.88
PSLC511	PSL50-C	15mm (1/2") MI Compression	● 350kPa	111.88
PSLC512	PSL50-C	15mm (1/2") MI Compression	● 500kPa	111.88
PSLC513	PSL50-C	15mm (1/2") MI Compression	● 600kPa	111.88
PSL714*	PSL75	20mm (3/4") MI Tapered BSB	● 350kPa	197.44
PSL715*	PSL75	20mm (3/4") MI Tapered BSB	● 500kPa	197.44
PSL716*	PSL75	20mm (3/4") MI Tapered BSB	● 600kPa	197.44
PSL721	PSL75-C	20mm (3/4") MI Compression	● 350kPa	197.44
PSL722	PSL75-C	20mm (3/4") MI Compression	● 500kPa	197.44
PSL723	PSL75-C	20mm (3/4") MI Compression	● 600kPa	197.44

In-line design with stainless steel long life seat. Maximum inlet pressure 2000kPa. Operates up to 80°C.


\* Can be used with a 20mm FI x Flare Compression Adaptor (predominantly used in VIC).



PS501

## Pressure Limiting Valves – PS Series – PS50

Order Code	Description	Size	Pressure Setting	List Price
PS501	PS50 72mm Long	15mm FI x 15mm FI (1/2")	● 350kPa	135.85
PS502	PS50 72mm Long	15mm FI x 15mm FI (1/2")	● 500kPa	135.85
PS503	PS50 72mm Long	15mm FI x 15mm FI (1/2")	● 600kPa	135.85
PSC501	PS50-C 76mm Long	15mm (1/2") MI Compression	● 350kPa	135.85
PSC502	PS50-C 76mm Long	15mm (1/2") MI Compression	● 500kPa	135.85
PSC503	PS50-C 76mm Long	15mm (1/2") MI Compression	● 600kPa	135.85



PS701

## Pressure Limiting Valves – PS Series – PS75

Order Code	Description	Size	Pressure Setting	List Price
PS701	PS75 80mm Long	20mm FI x 20mm FI (3/4")	● 350kPa	301.79
PS702	PS75 80mm Long	20mm FI x 20mm FI (3/4")	● 500kPa	301.79
PS703	PS75 80mm Long	20mm FI x 20mm FI (3/4")	● 600kPa	301.79



PS1001

## Pressure Limiting Valves – PS Series – PS100

Order Code	Description	Size	Pressure Setting	List Price
PS1001	PS100 103mm Long	25mm FI x 25mm FI (1")	● 350kPa	660.23
PS1002	PS100 103mm Long	25mm FI x 25mm FI (1")	● 500kPa	660.23
PS1003	PS100 103mm Long	25mm FI x 25mm FI (1")	● 600kPa	660.23





AC48

**Gauges for Adjustable Pressure Reducing Valves**

Order Code	Description	List Price
AC48	1/4" BSP Bottom Entry 0-1000kPa for RMC/SYR	73.25
GAUGE6RE	1/4" BSP Rear Entry 0-1000kPa for RMC/SYR	75.03
TK8	1/8" BSP Bottom Entry Hot Water (86°C) 0-2000kPa	92.77



D501

**Pressure Reducing Valves – Non-Adjustable**

Order Code	Description	Size	Pressure Setting	List Price
D501*	D50 15mm (1/2")	15mm MI x 15mm MI	25-110kPa	754.49

PRVs for low pressure water heaters (Non-Adjustable).  
\*When ordering please quote pressure setting required.



CH502

**General Water Applications and Coolers (PRV) – Non-Adjustable**

Order Code	Description	Pressure Setting	List Price
CH502	CH50B Combination / Expansion Valve	100-130kPa	741.91



TBV501

**Thermal Balancing Valves**

Order Code	Description	List Price
TBV501	15mm FI x 15mm FI Insulated	164.52
TBV701	20mm FI x 20mm FI Insulated	188.04

Automatically controls temperature in a circulating hot water system.



PRV15

**PressureGuard Compact Pressure Reducing Valves – Adjustable**

Order Code	Description	Size	Pressure Setting	List Price
PRV15	Compact Pressure Reducing Valve	15mm	150–600kPa	89.32
PRV20	Compact Pressure Reducing Valve	20mm	150–600kPa	103.42
PRV25	Compact Pressure Reducing Valve	25mm	150–600kPa	183.33

Maximum inlet temperature 80°C. Factory set at 500kPa.



PRV25HP

## PressureGuard Compact High Pressure Reducing Valves – Adjustable

Order Code	Description	Size	Pressure Setting	List Price
PRV15HP	Compact High Pressure Reducing Valve	15mm	600–1000kPa	330.89
PRV20HP	Compact High Pressure Reducing Valve	20mm	600–1000kPa	399.34
PRV25HP	Compact High Pressure Reducing Valve	25mm	600–1000kPa	450.69

Maximum inlet temperature 80°C. Factory set at 800kPa.



PRV20R

## PressureGuard Compact Pressure Reducing Valves – Right Angle

Order Code	Description	Size	Pressure Setting	List Price
PRV20R	Right Angle Pressure Reducing Valve	20mm	500kPa	103.42

Maximum inlet temperature 80°C.



PRV50

## Commercial Pressure Reducing Valves

Order Code	Description	Size	Pressure Setting	List Price
PRV50	Commercial Pressure Reducing Valve	50mm Flange	350–750kPa	2,244.66
PRV65	Commercial Pressure Reducing Valve	65mm Flange	350–750kPa	2,332.68
PRV80	Commercial Pressure Reducing Valve	80mm Flange	350–750kPa	2,426.93
PRV100	Commercial Pressure Reducing Valve	100mm Flange	350–750kPa	2,772.80
PRV-CSK1	SEAL KIT - Commercial PRV*			37.26

Maximum inlet temperature 60°C. Maximum inlet pressure 1600kPa.

\*Seal Kit - Commercial PRV - Suitable for use on commercial pressure reducing valve products PRV50, PRV65, PRV80 and PRV100.



PRV040-1000

## High Pressure Reducing Valves – Adjustable

Order Code	Description	Size	List Price
PRV032-1000	High Pressure Reducing Valve	32mm FI x 32mm FI	492.68
PRV040-1000	High Pressure Reducing Valve	40mm FI x 40mm FI	1,011.23
PRV050-1000	High Pressure Reducing Valve	50mm FI x 50mm FI	1,128.54

PRVs for hot and cold water applications (adjustable). Maximum temperature 80°C. Factory set at 800kPa ± 10%. Adjustable range 600-1000kPa.



PRV015

## Pressure Reducing Valves – Adjustable

Order Code	Description	Size	List Price
PRV015	Pressure Reducing Valve	15mm FI x 15mm FI	100.60
PRV020	Pressure Reducing Valve	20mm FI x 20mm FI	226.34
PRV025	Pressure Reducing Valve	25mm FI x 25mm FI	358.44
PRV032	Pressure Reducing Valve	32mm FI x 32mm FI	490.41
PRV040	Pressure Reducing Valve	40mm FI x 40mm FI	892.81
PRV050	Pressure Reducing Valve	50mm FI x 50mm FI	999.75

PRVs for hot and cold water applications (adjustable). Maximum temperature 80°C. Factory set at 500kPa. Adjustable range 150kPa – 550kPa.



SYRC11



SYRC13

**Spare Parts for General Application Adjustable PRVs**

Order Code	Description	Size	List Price
SYRC6	Dial up Model – Complete Cartridge only	25mm	275.61
SYRC7	Dial up Model – Complete Cartridge only	32/40/50mm	435.76
SYRC10	EB25 – Pre-2012 – Complete Cartridge only	15 and 20mm	270.41
SYRC11	EB25 – Pre-2012 – Complete Cartridge only	25mm	282.99
SYRC12	EB25 – Pre-2012 – Complete Cartridge only	32/40/50mm	427.54
SYRC13	EB25 – Current Model – Complete Cartridge only	20mm	141.03
SYRC14	EB25 – Current Model – Complete Cartridge only	25mm	223.29
SYRC15	EB25 – Current Model – Complete Cartridge only	32mm	376.08
SYRC17	EB25 – Current Model – Complete Cartridge only	15mm	141.03
SYRC18	EB25 – Current Model – Complete Cartridge only	40mm	376.08
SYRC19	EB25 – Current Model – Complete Cartridge only	50mm	376.08



NR50HT

### Non-Return Valves

Order Code	Description	Size	List Price
NR50HT	Non-Return Valve	15mm (1/2")	37.14
NR75HT	Non-Return Valve	20mm (3/4")	74.16
NR100HT	Non-Return Valve	25mm (1")	123.28


For typical storage Water Heater applications, Maximum pressure 1400kPa. Maximum temperature 99°C.  
For other applications contact RMC.



NRU501

### Undersink Connection Valves

Order Code	Description	Size	List Price
NRU501	Isolating Non-Return Valve	15mm FI x 15mm MI x 20mm MI	22.32




NI501

### Combination Non-Return Isolating Valves

Order Code	Description	Size	List Price
NI501	NI50 Duo Valve FI x FI	15mm (1/2")	44.08
NIA501	NI50-A Duo Valve – Internal Flare Fitting	15mm (1/2")	48.43
NIC501	NI50-C Duo Valve – MI Compression Fitting (Nuts and Both Copper and Nylon Olives Included)	15mm (1/2")	45.25
NI701	NI75 Duo Valve	20mm (3/4")	150.89
NI703	NI75-A Duo Valve – Internal Flare Fitting	20mm (3/4")	155.95
NRIS501	NRIS0S Trio Valve – Non-Return Isolating with Strainer	15mm (1/2")	66.63

For typical storage Water Heater applications, Maximum pressure 1400kPa. Maximum temperature 40°C.  
For other applications contact RMC.



NI703



7191

## Y Strainers

Order Code	Description	Size	List Price
7191	Y Strainer	15mm (1/2")	16.73
7192	Y Strainer	20mm (3/4")	38.66
7193	Y Strainer	25mm (1")	43.66
7194	Y Strainer	32mm (1 1/4")	61.00
7195	Y Strainer	40mm (1 1/2")	79.75
7196	Y Strainer	50mm (2")	140.75



AVH502

## Vacuum Relief Valves

Order Code	Description	Size	List Price
AVH502	AVH50 Vacuum Relief Valve*	15mm (1/2")	143.38
AVHTS-15	Auto Air Vent	15mm (1/2")	245.26
FXV375	Flexvent – Automatic Air Bleed	10mm (3/8")	257.84

\*Maximum 1400kPa. Maximum 80°C.



FCD09.02

## HydroSave Flow Regulating Discs

Order Code	Description	List Price
FCD09.02	Flow Regulating Disc – 9 l/min – 2 Pack	5.26
FCD12.02	Flow Regulating Disc – 12 l/min – 2 Pack	5.26
FCD06.50	Flow Regulating Disc – 6 l/min – 50 Pack	107.37
FCD09.50	Flow Regulating Disc – 9 l/min – 50 Pack	107.37
FCD12.50	Flow Regulating Disc – 12 l/min – 50 Pack	107.37



ILO9C.01

## HydroSave Inline Flow Controllers

Order Code	Description	List Price
ILO9C.01	Inline Flow Controller Chrome – 9 l/min – 1 Pack	10.74
IL12C.01	Inline Flow Controller Chrome – 12 l/min – 1 Pack	10.74
ILO2C.10	Inline Flow Controller Chrome – 2 l/min – 10 Pack	101.72
ILO4C.10	Inline Flow Controller Chrome – 4 l/min – 10 Pack	101.72
ILO6C.10	Inline Flow Controller Chrome – 6 l/min – 10 Pack	101.72
ILO9C.10	Inline Flow Controller Chrome – 9 l/min – 10 Pack	101.72
IL12C.10	Inline Flow Controller Chrome – 12 l/min – 10 Pack	101.72



AFL08C.01



AML08C.10



AIJ02.01



CHK.01



PV704

### HydroSave Water Saving Aerators

Order Code	Description	List Price
AFL08C.01	Aerator FI Chrome – 8 l/min – 1 Pack	8.49
AFL05C.10	Aerator FI Chrome – 5 l/min – 10 Pack	71.21
AFL08C.10	Aerator FI Chrome – 8 l/min – 10 Pack	71.21
AML08C.01	Aerator MI Chrome – 8 l/min – 1 Pack	8.49
AMJ02C.10	Aerator MI Chrome – 2 l/min – 10 Pack	71.21
AML05C.10	Aerator MI Chrome – 5 l/min – 10 Pack	71.21
AML08C.10	Aerator MI Chrome – 8 l/min – 10 Pack	71.21

Includes rubber applicator ring, to be removed after installation.

### HydroSave Water Saving Aerator Inserts

Order Code	Description	List Price
AIJ02.01	Aerator Insert – 2 l/min – 1 Pack	6.22
AIL05.01	Aerator Insert – 5 l/min – 1 Pack	6.22
AIL08.01	Aerator Insert – 8 l/min – 1 Pack	6.22
AIJ02.10	Aerator Insert – 2 l/min – 10 Pack	54.81
AIL05.10	Aerator Insert – 5 l/min – 10 Pack	54.81
AIL08.10	Aerator Insert – 8 l/min – 10 Pack	54.81

Includes rubber applicator ring, to be removed after installation.

### HydroSave Water Saving Kit

Order Code	Description	List Price
CHK.01	Water Saving Kit	43.29

HydroSave Water Saving Kit contains:

- Inline Water Flow Controller – 9 l/min – 2 Pack
- Aerator Insert – 8 l/min – 2 Pack
- Aerator Insert – 5 l/min – 1 Pack
- Aerator Insert – 2 l/min – 1 Pack

### Noise Reduction Valve

Order Code	Description	List Price
PV704	QuietWash (Shell Pack)	66.63

QuietWash Noise Reduction Valves are designed for reducing water hammer in washing machines and dishwashers. Packaged with installation instructions.



ID501

### In-Line Drain Cock

Order Code	Description	Size	List Price
ID501	ID50 In-Line Drain Cock	15mm (1/2")	95.54



TK100

### Plumbers Test Kit

Order Code	Description	List Price
TK100	Plumbers Test Kit	170.99
TK9	Alcohol Thermometer 0 – 100°C	28.64



PVDC503

### Pressure Limiting Value with Dual Check

Order Code	Description	Size	Set Pressure	List Price
PVDC503	Chrome Finish	15mm (1/2") x 8mm (1/4")	350kPa	118.23
PVDC504	Chrome Finish	15mm (1/2") x 8mm (1/4")	500kPa	118.23

Install upstream of water filters. Reduces back flow, water pressure and controls flow. Inlet pressure: 1200kPa. Maximum temperature: 40°C.



FG501

### RMC FloodGuard Hose Burst Shut Off Valve

Order Code	Description	Size	List Price
FG500	Brass Finish (Shell Pack)	15mm (1/2")	31.01
FG501	Brass Finish (Shell Pack)	20mm (3/4")	40.35
FGI500	Isolation Valve	15mm (1/2")	51.35

Shut down valve to help reduce the extent of flooding in the event of a hose burst. Inlet minimum pressure: 200kPa. Maximum temperature: 85°C.



FGI500

7001



**Sioux Chief Hydra-Rester (Boxed) 15mm – 50mm**

Order Code	Description	Size	List Price
7001	Hydra-Rester – A Size	15mm	54.47
7002	Hydra-Rester – B Size	20mm	76.71
7003*	Hydra-Rester – C Size	25mm	186.96
7004*	Hydra-Rester – D Size	32mm	214.20
7005*	Hydra-Rester – E Size	40mm	260.77
7006*	Hydra-Rester – F Size	50mm	418.26

\*25mm BSP Inlet Thread.

7008



**Sioux Chief Hydra-Rester (Carded Hang-Sell) 15mm – 20mm**

Order Code	Description	Size	List Price
7000	Hydra-Rester – A Size	15mm	54.47
7008	Conetite Tee – A Size	15mm	63.09
7010	Washing Machine/Dishwasher Chrome – A Size	20mm	67.40

7012



**Sioux Chief Mini-Rester (Carded Hang-Sell) 15mm – 20mm**

Order Code	Description	Size	List Price
7012	Dishwasher – AA size	20mm	50.17
7013	Mini-Rester with Conetite Tee – AA size	15mm	50.17





A10-002



A18-002

### HydroSeal O-Ring Tap Valves

Order Code	Description	Size	Carton Size	List Price
A10-002	HydroSeal Tap Valve – 2 Pack	12mm (1/2")	22	5.65
A10-010	HydroSeal Tap Valve – 10 Pack	12mm (1/2")	12	27.69
A10-100	HydroSeal Tap Valve – 100 Pack	12mm (1/2")	4	271.25
A18-002	HydroSeal Anti-Hammer Tap Valve – 2 Pack	12mm (1/2")	18	10.05
A18-050	HydroSeal Anti-Hammer Tap Valve – 50 Pack	12mm (1/2")	4	248.65

Price is per unit cost. Only available in cartons.



A30-001

### HydroSeal Tap Restoration Tools

Order Code	Description	Size	List Price
A30-001	HydroSeal Tap Seat Refacing Tool	12mm (1/2")	38.20
A30-002	HydroSeal Replacement Cutter for Tap Seat Refacing Tool	12mm (1/2")	17.64
A30-019	HydroSeal Tungsten Carbide Replacement Cutter for Tap Seat Refacing Tool	12mm (1/2")	69.35
A30-009	HydroSeal Extended Shaft for Tap Seat Refacing Tool – 160mm	-	18.82
A30-004	HydroSeal Replacement Cutter	15mm (5/8")	20.29
A30-005	HydroSeal Replacement Cutter	20mm (3/4")	24.06
A60-001	HydroSeal Nipple Cutter and Brass Catcher	-	101.44
A40-001	HydroSeal Tap Bonnet Thread Cleaner	12mm (1/2")	15.60



A30-006

### HydroSeal Tap Restoration Kits

Order Code	Description	List Price
A30-006	HydroSeal Adaptor Kit for Tap Seat Refacing Tool	51.43
A35-001	HydroSeal Tap Restoration Kit	62.90
A55-001	HydroSeal Tap Seat Replacement Kit	48.20
A40-010	HydroSeal Threading Tool and Bush	29.38
A55-006	HydroSeal Stainless Steel Seats and Washers – 6 Pack	21.76
A55-030	HydroSeal Stainless Steel Seats and Washers – 30 Pack	107.55
A55-010	HydroSeal Teflon Washer	10.17




A45-001

### HydroSeal Lubricants

Order Code	Description	Size	Tubes Per Carton	List Price
A45-001	HydroSeal Tap Lubricant	15g Tube	10	5.42
A45-002	HydroSeal Tap Lubricant	40g Tube	15	8.25

Price is per unit cost. Only available in cartons.



7610N

### Electronic Washing Systems

Order Code	Description	List Price
7610N	Monotronic 1 – Touch Free Washing System	372.97



7680

### Electronic Flushing Systems

Order Code	Description	List Price
7680	Inset Mount Flushtronic Single Stall Automatic Urinal Flushing System	836.36
7690	Inset Mount Flushtronic Wide Trough Automatic Urinal Flushing System	836.36
7675	Surface Mount Flushtronic Single Stall Automatic Urinal Flushing System	836.36
7685	Surface Mount Flushtronic Wide Trough Automatic Urinal Flushing System	836.36



7604R

### Spare Parts and Accessories – Monotronic

Order Code	Description	List Price
7191	Y Strainer 15mm	16.73
7604R	Monotronic 1 Wall Mounted Sensor	180.84
7628R	Monotronic 2 Sensor Base Complete	158.23
7636R	Solenoid Valve 6V	67.81
7637	Flushtronic 15mm Solenoid Valve 12V	45.21
7666R	Battery Holder	36.16
7667R	Battery	62.16
7668R	Extension Cable	16.95



WM152HWM

**Positive Displacement Water Meters 15mm – 40mm**

Order Code	Description	Size	Couplings*	List Price
WM152HWM	Hot Water Meter c/w Couplings & Reed Switch	15mm	INCLUDED	293.51



WM273MRP



WM322MRP

## Endurance Multijet Turbine Water Meters 15mm – 50mm

Order Code	Description	Size	Couplings*	List Price
WM273MRP	DC Meter Thread	20mm	MC202, 203, 208, 216	122.63
WM274MRP	DC NSW Thread	20mm	MC200, 1, 6, 7, 215	122.63
WM275MRP	DC BSP Thread	20mm	MC204	122.63
WM281MRP	BSP Thread – Lavender	20mm	MC204	133.06
WM270MRP	DC NSW Thread	25mm	1N141, 2	280.46
WM271MRP	DC Meter Thread	25mm	1N131	280.46
WM272MRP	DC BSP Thread	25mm	MC250	280.46
WM322MRP +	Oval Flange (Single Check)	32mm	1N148	384.82
WM402MRP +	Oval Flange	40mm	1N149	626.16
WM514MRP +	300mm Long	50mm	1N154	649.22
WM598	Reed Switch (Clip In Type Suit MRP Range)	20-40mm	–	78.87

20mm and 25mm meters are NMI and WaterMark approved. Pulse capable. Meters are for horizontal installation only. Maximum temperature 50°C.

\* See page 25 for coupling details. + Non trade use only. No NMI or WaterMark approval.



WM212PD

## Polymer Positive Displacement Water Meters 15mm - 20mm

Order Code	Description	Size	Couplings*	List Price
WM151PD	PD BSP Thread	15mm	MC150	144.94
WM211PD	PD NSW Thread	20mm	MC200, MC201, MC206, MC207, MC215	157.03
WM212PD	PD Meter Thread	20mm	MC202, MC203, MC208, MC216	157.03
WM213PD	PD BSP Thread	20mm	MC204	157.02

Meters manufactured or approved to AS 3565. NMI and WaterMark approved. Meters are pulse capable. Maximum temperature 50°C.

\* See page 25 for coupling details.



WM202PD



WMRS5-5

## Positive Displacement Water Meters 15mm – 40mm

Order Code	Description	Size	Couplings*	List Price
WM201PD	PD NSW Thread	20mm	MC200, 1, 6, 7, 215	146.38
WM202PD	PD Meter Thread – QUU	20mm	MC208, 216	146.38
WM203PD	PD BSP Thread	20mm	MC204	146.38
WM205PD	PD Meter Thread	20mm	–	152.80
WM205PDWA	V100 Meter Thread - WA	20mm	MC208, 216	152.80
WM206PD	Meter Thread V200 – QUU	20mm	MC203, MC208, MC216	195.12
WM207PD	V100 Meter Thread (Single Check)	20mm	MC208, 216	152.80
WM208PD	V100 NSW Thread (Single Check)	20mm	MC200, 201, 206, 207, 215	152.80
WM209PB	V100 Meter Thread (Single Check, 4x4 counter)	20mm	MC208, 216	152.80
WM214PD	V200 NSW Thread	20mm	MC200, 201, 206, 207, 215	195.12
WM215PD	V200 Meter Thread	20mm	MC208, 216	195.12
WM216PD	V200 Meter Thread - Unity Water	20mm	MC208, 216	195.12
WM217PD	V200 Meter Thread - WA	20mm	MC208, 216	195.12
WM251PD	PD NSW Thread	25mm	1N141, 1N142	322.86
WM252PD	PD Meter Thread	25mm	1N131	322.86
WM253PD	PD Meter Thread – QUU	25mm	1N131	322.86
WM257PD	V100 NSW Thread (Single Check)	25mm	1N141, 1N142	322.86
WM258PD	V100 Meter Thread (Single Check)	25mm	1N131	322.86
WM260PD	V200 Meter Thread, DCV std	25mm	1N131	551.42
WM261PD	V200 Meter Thread, DCV - QUU	25mm	1N131	551.42
WM262PD	V200 Meter Thread, DCV - Logan	25mm	1N131	551.42
WM263PD	V200 Meter Thread, DCV - Unity Water	25mm	1N131	551.42
WM320PD	V100 Oval Flange (Single Check) - QUU	32mm	1N148	677.62
WM321PD	V100 Oval Flange (Single Check)	32mm	1N148	705.49
WM322PD	V100 Grooved Oval Flange (Single Check)	32mm	1N148M	705.49
WM323PD	V100 G45 (Single Check)	32mm	-	705.49
WM325PD	V200 Meter, Oval Flange std serials	32mm	1N148	801.30
WM326PD	V200 Meter, Oval Flange - QUU	32mm	1N148	801.30
WM327PD	V200 Meter, Oval Flange - Logan	32mm	1N148	801.30
WM328PD	V200 Meter, Oval Flange - Unity Water	32mm	1N148	801.30
WM400PD	Oval Flange	40mm	1N149	823.78
WM402PD	V100 Grooved Oval Flange (Single Check)	40mm	1N149M	895.86
WM403PD	V100 G50 (Single Check)	40mm	-	895.86
WM405PD	V200 Meter, Oval Flange std serials	40mm	1N149	1258.87
WM406PD	V200 Meter, Oval Flange - Logan	40mm	1N149	1258.87
WM407PD	V200 Meter, Oval Flange - Unity Water	40mm	1N149	1258.87
WM408PD	V100 Meter, c/w flange conn's & stainless steel fasteners - QUU S/N	40mm	1N149	1258.87
WMRS5-5	V100 Reed Switch	5M	–	86.52

Meters manufactured or approved to AS 3565 / ISO 4064. All meters NMI and WaterMark approved. Maximum temperature 50°C.

\* See page 25 for coupling details.



WM500WST

**Woltman Industrial ISO Length Water Meter 50mm – 200mm**

Order Code	Description	Size	Length	List Price
WM500WST	ISO Length	50mm	200mm	750.09
WM650WST	ISO Length	65mm	200mm	874.02
WM800WST	ISO Length	80mm	230mm	880.53
WM1000WST	ISO Length	100mm	250mm	1,134.92
WM1500WST	ISO Length	150mm	300mm	1,819.78

Approved utility use only. No WaterMark. Flanged table D. Pulse output included with meter. Maximum temperature 50°C.



WM501WST

**Woltman Industrial Australian Length Water Meter 50mm – 200mm**

Order Code	Description	Size	Length	List Price
WM501WST	Australian Length	50mm	311mm	887.06
WM801WST	Australian Length	80mm	413mm	1,350.16
WM1001WST	Australian Length	100mm	483mm	1,565.40
WM1501WST	Australian Length	150mm	500mm	2,243.74
WM2001WST	Australian Length	200mm	520mm	2,563.34

Approved utility use only. No WaterMark. Flanged table D. Pulse capable. Maximum temperature 50°C.



WMSP011

**Woltman Meters Pulse Output Accessories**

Order Code	Description	List Price
WMSP011	50mm Kit (Includes Register and Reed Switch Set)	182.63
WMSP014	65mm Kit (Includes Register and Reed Switch Set)	182.63
WMSP012	80mm Kit (Includes Register and Reed Switch Set)	182.63
WMSP013	100mm Kit (Includes Register and Reed Switch Set)	182.63
WMSP004	150mm Kit (Includes Register and Reed Switch Set)	182.63
WMSP005	200mm Kit (Includes Register and Reed Switch Set)	169.89
WMRS6	Reed Switch for 50 – 200mm Woltman Meters (Reed Switch Only – Does Not Include Register)	105.66



WM500OCTSST



WM1500OCTSS

## Octave Ultrasonic Industrial 50mm – 300mm

Order Code	Description	Size	List Price
WM500OCT-POLY * **	Threaded – ISO Length Polymer	DN50	1,874.85
WM500OCTSST *	Threaded – ISO Length Stainless Steel	DN50	2,222.03
WM500OCTSS +	Flanged – ISO Length Stainless Steel	DN50	2,083.58
WM800OCTSS +	Flanged – ISO Length Stainless Steel	DN80	2,331.19
WM1000OCTSS +	Flanged – ISO Length Stainless Steel	DN100	3,472.63
WM1500OCTSS +	Flanged – ISO Length Stainless Steel	DN150	5,556.20
WM2000OCTSSHf +	Flanged – ISO Length Stainless Steel	DN200	7,657.23

\* Threaded versions are provided with couplings. WaterMark approved.

\*\* Please note these items will be discontinued when all stock on hand is exhausted.

+ Approved utility use only. No WaterMark.

All meters are NMI approved. Maximum temperature 50°C. POR = Price On Request.


Digital dual pulse output included with meter.



WMR014

## Octave Meters Pulse Output Accessories

Order Code	Description	List Price
WMR010	Octave 4-20mA Output	285.25
WMR011	Octave Dual Pulse Output	202.25
WMR012	Octave SSR Output	285.25
WMR013	Octave M-Bus Output	285.25
WMR014	Octave MODBUS Output	241.34



WM177

## Round Flange Water Meter Spacers

Order Code	Description	List Price
WM177	DN50 x 100mm Flanged Spacer	280.02
WM178	DN80 x 188mm Flanged Spacer	320.08
WM179	DN100 x 233mm Flanged Spacer	427.58
WM180	DN150 x 200mm Flanged Spacer	436.52



WMPC2

### Remote Digital Displays

Order Code	Description	List Price
WMPC2	Flexi-Reader Pulse Counter (Digital readout programmable for a range of pulse rates from 1.5 to 1,000 litre pulses)	182.02
WMPC4	Battery Holder	22.47



7255

### Recycled Water Kits

Order Code	Description	Size	List Price
7255	Recycled Water Kit – (5/8")	21mm MI	45.16
7260	Recycled Water Kit – (5/8")	21mm MI	45.16
7265	Recycled Water Kit – (5/8")	15mm FI x 150mm	55.89
7270	Recycled Water Kit – (5/8")	15mm FI x 300mm	63.93
7281	Recycled Water Hose Bib Kit	–	47.72
12615	Lilac Key for Tap	–	5.82



WMKIT211

### Water Meter Kits

Order Code	Description	Size	List Price
WMKIT211	Multijet, Pulse Capable – Meter Thread Complete with Couplings (MC208)	20mm	146.11
WMKIT211WA	Multijet, Pulse Capable – Meter Thread Complete with Couplings (MC202)	20mm	146.11
WMKIT211R	Multijet, Pulse Capable – Meter Thread – Recycled	20mm	146.11
WMKIT271	Multijet, Pulse Capable – Meter Thread Complete with Couplings (1N131)	25mm	281.78
WMKIT230	Positive Displacement – PD Meter Thread Complete with Couplings	20mm	131.30
WMKIT231	Positive Displacement – PD NSW Thread Complete with Couplings	20mm	138.48
WMKIT272	Positive Displacement – PD Meter Thread Complete with Couplings	25mm	309.96
WMKIT273	Positive Displacement – PD NSW Thread Complete with Couplings	25mm	288.34

All kits NMI and WaterMark approved. Max temp 50°C.



KIT227Q

### Sub Metering Kits

Order Code	Description	List Price
KIT227EX	Sub Metering Bracket with Extendable Coupling	157.75
KIT227Q	Sub Metering Bracket – QUU	168.54
KIT232	Sub Metering Kit – NSW – DN20	157.30
KIT233	Sub Metering Kit – NSW with Spacer – DN20	235.96






WM90

## Meter Housings

Order Code	Description	Size	List Price
WM90	Water Meter Box – Complete with Black Lid	368mm (L) x 271mm (W) x 316mm (D)	52.79
WMBOX200	Water Meter Box – Large Shallow (Taper) – Complete with Black Lid	492mm (L) x 271mm (W) x 220 (D)	72.81
WMBOX202	Water Meter Box (Gold Coast – Low Profile)	430mm (L) x 270mm (W) x 220 (D)	72.81
WMBOX203	Water Meter Box (Gold Coast – High Profile)	430mm (L) x 270mm (W) x 275 (D)	87.38
WMBOX204	Water Meter Box – Large Rev Taper – Complete with Green Lid (Holes not drilled)	–	87.38
WMBOX206	Water Meter Box – Dradual 600/1 Gold Coast	–	115.29
WMBOX209	Water Meter Box – Base	–	28.09
WMLID	Water Meter Box – Lid	–	168.54



KIT238

## Water Meter Box Kits

Order Code	Description	Size	List Price
KIT238	Single Meter Box – Reverse Taper, 2 Lockable Ball Valves, 1 Spacer, 2 Meter Couplings (Supplied with 2 GCC approved brass PE x FI unions)	20mm	365.70



BVLH75FF

## Water Service Ball Valves

Order Code	Description	Size	List Price
BVLH75FF*	Long Handle	20mm FI x 20mm FI	45.02
BVLH75MF*	Long Handle	20mm MI x 20mm FI	39.24
BVLH25MF*	Long Handle	25mm MI x 25mm FI	51.46
BVSH75MF	Short Handle – Straight Ball Valve (Not Lockable)	20mm MI x 20mm FI	39.24

\* Lockable in either the open or closed positions.




RB9020FF

## 90° Water Service Ball Valves – Lockable

Order Code	Description	List Price
RB9020FF	20mm FI x 20mm FI	41.82
RB9020FM	20mm FI x 20mm MI	50.18
RB9020CF	20mm C x 20mm FI	50.18
RB900	20mm C x NSW Meter Coupling	57.64
RB902	20mm FI x NSW Meter Coupling	89.80
RB9025FF	25mm FI x 25mm FI	57.90
JB250	25mm FI x 25mm NSW Meter Coupling	97.07
JB251	25mm FI x 25mm Meter Coupling	123.78

All lockable in either the open or closed positions.



BVLH75MF-R

## Recycled Water Ball Valves


Order Code	Description	Size	List Price
BVLH75MF-R	Recycled Water Service Ball Valve – (Lockable in closed or open position)	Long Handle 20mm	39.44
BVLH25MF-R	Recycled Water Service Ball Valve – (Lockable in closed or open position)	Long Handle 25mm	51.46
RB9020FF-R	90° Recycled Water Service Ball Valve – (Lockable)	20mm FI x 20mm FI	45.66



KIT205

## Melbourne Water Kits


Order Code	Description	Size	List Price
KIT205	Meter Connection Kit	20mm	82.52
KIT250	Meter Connection Kit	25mm	182.02



KIT201

## Hunter Water Kits

Order Code	Description	Size	List Price
KIT201	Meter Connection Kit	20mm	206.30
KIT204	Meter Connection Kit	20mm Drilling 25mm Service	254.83
KIT225	Meter Connection Kit – Pre-Laid Mains	20mm	45.51
KIT251	Meter Connection Kit	25mm	424.72
KIT320	Meter Connection Kit	32mm	491.46



MC150

## Meter Couplings

Order Code	Description	Size	List Price
MC150	BSP Nut - Standard	15mm MI	9.84
MC203	Meter Nut - Security	20mm MI	10.67
MC207*	NSW Nut - Long	20mm FI	15.17
MC206*	NSW Nut - Standard	20mm FI	18.20
MC201*	NSW Nut - Security	20mm MI	18.20
MC208	Meter Nut - Standard	20mm MI	12.22
MC204	BSP Nut - Standard	20mm MI	12.22
MC202	Meter Nut - Long WA	20mm MI	14.80
MC215	NSW Nut - Extendable	20mm FI	25.74
MC216**	Meter Nut - Extendable	20mm FI	25.74
MC250	BSP Nut - Standard	25mm MI	26.09
1N131	Meter Nut - Standard	25mm MI	37.96
1N141*	NSW Nut - Standard	25mm MI	37.96
1N142*	NSW Nut - Standard	25mm FI	37.96

\*Sealing Gaskets NOT required.

\*\*MC39 Gasket not included.

Additional Gaskets may be purchased separately.



1N148

### Meter Flange, Seal and Bolt Kits


Order Code	Description	Size	List Price
1N148*	Oval Flange Kit	32mm	65.53
1N149*	Oval Flange Kit	40mm	78.87
1N154**	Round Flange Kit	50mm	128.63
1N155**	Round Flange Kit	80mm	160.18

\*Contains 1 Flange, 1 Seal, and 2 Bolts.

\*\*Contains 1 Flange, 1 Seal, and 4 Bolts.

### Meter Gaskets and Sealing Rings

Order Code	Description	Size	List Price
MC39	Meter or BSP Thread Gasket	20mm	1.35
1N131-5	Meter or BSP Thread Gasket	25mm	1.20
WM47	NSW Sealing Ring	20mm	2.42



1N114

### Meter Dirt Boxes

Order Code	Description	Size	List Price
1N114	Round Flanged – Length 200mm	50mm	582.47
1N111	Round Flanged – Length 225mm	80mm	782.70
1N112	Round Flanged – Length 250mm	100mm	988.99
1N113	Round Flanged – Length 300mm	150mm	1,759.56


Approved utility use only. No WaterMark.



47026-08DR

### Ball Valves – Potable Water Approved

Order Code	Description	Size	List Price
47026-08DR	Ball Valve	15mm FI x 15mm FI	28.36
47026-12DR	Ball Valve	20mm FI x 20mm FI	38.36
47026-16DR	Ball Valve	25mm FI x 25mm FI	56.65
47026-20DR	Ball Valve	32mm FI x 32mm FI	92.70
47026-24DR	Ball Valve	40mm FI x 40mm FI	148.80
47026-32DR	Ball Valve	50mm FI x 50mm FI	223.97



BVWS25MF-L

### Water Service Ball Valves – Water Approved (Long Handle)

Order Code	Description	Size	List Price
BVWSR20FF-L	Water Service Ball Valve – RA	20mm FI x 20mm FI	25.79
BVWS15MF-L	Water Service Ball Valve	15mm MI x 15mm FI	16.44
BVWS20MF-L	Water Service Ball Valve	20mm MI x 20mm FI	21.87
BVWS25MF-L	Water Service Ball Valve	25mm MI x 25mm FI	33.47
BVWS32MF-L	Water Service Ball Valve	32mm MI x 32mm FI	64.04
BVWS40MF-L	Water Service Ball Valve	40mm MI x 40mm FI	85.24
BVWS50MF-L	Water Service Ball Valve	50mm MI x 50mm FI	138.05

All above listed Ball Valves are lockable.



47026-04BG

### Ball Valves Butterfly Handle – Gas Approved

Order Code	Description	Size	List Price
47026-04G	Lever Handle	6mm FI x 6mm FI	10.37
47026-06G	Lever Handle	10mm FI x 10mm FI	10.90
47026-08G	Lever Handle	15mm FI x 15mm FI	12.81
47026-12G	Lever Handle	20mm FI x 20mm FI	18.83
47026-16G	Lever Handle	25mm FI x 25mm FI	26.27
47026-20G	Lever Handle	32mm FI x 32mm FI	42.37
47026-24G	Lever Handle	40mm FI x 40mm FI	61.21
47026-32G	Lever Handle	50mm FI x 50mm FI	90.08
47026-04BG	Butterfly Handle	6mm FI x 6mm FI	10.25
47026-06BG	Butterfly Handle	10mm FI x 10mm FI	10.74
47026-08BG	Butterfly Handle	15mm FI x 15mm FI	12.81
47026-12BG	Butterfly Handle	20mm FI x 20mm FI	18.83
47026-16BG	Butterfly Handle	25mm FI x 25mm FI	26.27
47072-08G	Lever Handle	15mm MI x 15mm FI	12.81
47072-12G	Lever Handle	20mm MI x 20mm FI	18.83
47072-16G	Lever Handle	25mm MI x 25mm FI	26.27
47072-04BG	Butterfly Handle	6mm MI x 6mm FI	10.90
47072-06BG	Butterfly Handle	10mm MI x 10mm FI	11.72
47072-08BG	Butterfly Handle	15mm MI x 15mm FI	12.81
47072-12BG	Butterfly Handle	20mm MI x 20mm FI	18.83
47072-16BG	Butterfly Handle	25mm MI x 25mm FI	26.27




BV201SS

### Ball Valves – Stainless Steel

Order Code	Description	Size	List Price
BV151SS	1 piece SS Ball Valve	15mm FI x 15mm FI	19.92
BV201SS	1 piece SS Ball Valve	20mm FI x 20mm FI	25.31
BV251SS	1 piece SS Ball Valve	25mm FI x 25mm FI	33.45
BV152SS	2 piece SS Ball Valve	15mm FI x 15mm FI	19.92
BV202SS	2 piece SS Ball Valve	20mm FI x 20mm FI	27.90
BV252SS	2 piece SS Ball Valve	25mm FI x 25mm FI	40.65
BV322SS	2 piece SS Ball Valve	32mm FI x 32mm FI	62.77
BV402SS	2 piece SS Ball Valve	40mm FI x 40mm FI	83.70
BV502SS	2 piece SS Ball Valve	50mm FI x 50mm FI	120.57
BV153SS	3 piece SS Ball Valve	15mm FI x 15mm FI	27.42
BV203SS	3 piece SS Ball Valve	20mm FI x 20mm FI	40.65
BV253SS	3 piece SS Ball Valve	25mm FI x 25mm FI	54.93
BV323SS	3 piece SS Ball Valve	32mm FI x 32mm FI	79.30
BV403SS	3 piece SS Ball Valve	40mm FI x 40mm FI	127.25
BV503SS	3 piece SS Ball Valve	50mm FI x 50mm FI	177.04


All above listed Ball Valves are not WaterMark approved.



BVG15FF

### Ball Valves Lever Handle – Gas Approved

Order Code	Description	Size	List Price
BVG06FF	Gas Ball Valve	6mm FI x 6mm FI	8.45
BVG08FF	Gas Ball Valve	8mm FI x 8mm FI	8.49
BVG10FF	Gas Ball Valve	10mm FI x 10mm FI	8.93
BVG100FF	Gas Ball Valve	100mm FI x 100mm FI	577.19
BVG15FF	Gas Ball Valve	15mm FI x 15mm FI	10.74
BVFG15-BHB	Flared Gas Ball Valve – BSP	15mm	16.24
BVG15MF	Gas Ball Valve	15mm MI x 15mm FI	10.74
BVG15MF-BH	Gas Ball Valve – BH	15mm MI x 15mm FI	10.74
BVG20FF	Gas Ball Valve	20mm FI x 20mm FI	15.60
BVFG20-BHB	Flared Gas Ball Valve – BSP	20mm	24.56
BVG20MF	Gas Ball Valve	20mm MI x 20mm FI	15.60
BVG20MF-BH	Gas Ball Valve – BH	20mm MI x 20mm FI	15.60
BVG25FF	Gas Ball Valve	25mm FI x 25mm FI	21.20
BVG32FF	Gas Ball Valve	32mm FI x 32mm FI	37.02
BVG40FF	Gas Ball Valve	40mm FI x 40mm FI	51.54
BVG50FF	Gas Ball Valve	50mm FI x 50mm FI	77.14
BVG65FF	Gas Ball Valve	65mm FI x 65mm FI	268.56
BVG80FF	Gas Ball Valve	80mm FI x 80mm FI	368.63



BV15FF

**Ball Valves – Gas and Water Approved**

Order Code	Description	Size	List Price
BV06FF	Gas and Water Ball Valve	6mm FI x 6mm FI	8.11
BV08FF	Gas and Water Ball Valve	8mm FI x 8mm FI	9.90
BV10FF	Gas and Water Ball Valve	10mm FI x 10mm FI	8.93
BV100FF	Gas and Water Ball Valve	100mm FI x 100mm FI	577.19
BV15FF	Gas and Water Ball Valve	15mm FI x 15mm FI	13.72
BV15FF-BH	Gas and Water Ball Valve – BH	15mm FI x 15mm FI	13.04
BV15MF	Gas and Water Ball Valve	15mm MI x 15mm FI	14.82
BV15MF-BH	Gas and Water Ball Valve – BH	15mm MI x 15mm FI	13.79
BV20FF	Gas and Water Ball Valve	20mm FI x 20mm FI	19.02
BV20FF-BH	Gas and Water Ball Valve – BH	20mm FI x 20mm FI	18.33
BV20FF-E	Gas and Water Ball Valve – EXT H	20mm FI x 20mm FI	24.58
BV20MF	Gas and Water Ball Valve	20mm MI x 20mm FI	20.64
BV20MF-BH	Gas and Water Ball Valve – BH	20mm MI x 20mm FI	19.46
BV25FF	Gas and Water Ball Valve	25mm FI x 25mm FI	30.20
BV25FF-E	Gas and Water Ball Valve – EXT H	25mm FI x 25mm FI	39.53
BV32FF	Gas and Water Ball Valve	32mm FI x 32mm FI	53.44
BV32FF-E	Gas and Water Ball Valve – EXT H	32mm FI x 32mm FI	65.93
BV40FF	Gas and Water Ball Valve	40mm FI x 40mm FI	76.55
BV40FF-E	Gas and Water Ball Valve – EXT H	40mm FI x 40mm FI	93.44
BV50FF	Gas and Water Ball Valve	50mm FI x 50mm FI	106.59
BV50FF-E	Gas and Water Ball Valve – EXT H	50mm FI x 50mm FI	147.56
BV65FF	Gas and Water Ball Valve	65mm FI x 65mm FI	268.56
BV80FF	Gas and Water Ball Valve	80mm FI x 80mm FI	368.63



7105 and 7105.2

### Hose Connection Vacuum Breakers – Low Hazard

Order Code	Description	Size	List Price
7105	Hose Connection Vacuum Breaker	20mm	14.87
7105.2	Hose Connection Vacuum Breaker – Chrome	20mm	23.58
7107	Hose Connection Vacuum Breaker	25mm	21.57
7107.2	Hose Connection Vacuum Breaker – Chrome	25mm	32.73

Operating pressure 1400kPa. Maximum temperature 60°C.



N7B200

### Dual Check Valves (Dual CV) – Low Hazard

Order Code	Description	List Price
N7B200	20mm FI x 20mm FI	37.57
N7B201	20mm MI x 20mm FI	37.57
N7B250	25mm FI x 25mm FI	40.17
N7B251	25mm MI x 25mm FI	40.17
N7320	32mm FI x 32mm FI	245.79
N7400	40mm FI x 40mm FI	342.82



N7155

### High Temperature Dual Check Valve (Dual CV) – Low Hazard

Order Code	Description	List Price
N7155	15mm Hi Temp Dual Check Valve	85.39

Operating pressure 1400kPa. Maximum temperature 90°C.




7185

### RyeMetal Mini Dual Check Valves (Dual CV) 60°C – Low Hazard

Order Code	Description	Size	List Price
7185	Mini Dual Check Valve	15mm MI x 15mm MI	23.81
7185.2	Mini Dual Check Valve – Chrome	15mm MI x 15mm MI	26.78
7186	Mini Dual Check Valve	15mm MI x 15mm FI	31.24
7186.2	Mini Dual Check Valve – Chrome	15mm MI x 15mm FI	35.70

Operating pressure 1400kPa. Maximum temperature 60°C.



7179

### RyeMetal Mini Dual Check Valves (Dual CV) 80°C – Low Hazard

Order Code	Description	Size	List Price
7179*	Mini Dual Check Valve	20mm MI x 20mm FI	40.17
7179.2*	Mini Dual Check Valve – Chrome	20mm MI x 20mm FI	59.50
7179SC.2	Mini Dual Check Valve - Chrome	20mm FI x 20mm MI	59.50

\*To suit 15mm (1/2") Hose Taps

Operating pressure 1400kPa. Maximum temperature 80°C.



7206

### Y Strainers


Order Code	Description	Size	List Price
7206	Y Strainer	65mm	248.94
7207	Y Strainer	80mm	287.34
7208	Y Strainer	100mm	477.63
7209	Y Strainer	150mm	1,436.69
7211	Y Strainer	200mm	783.65



7240


### Isolation Valves Butterfly Valves

Order Code	Description	Size	List Price
7240	Butterfly Valve	65mm	279.43
7241	Butterfly Valve	80mm	322.84
7242	Butterfly Valve	100mm	412.36
7243	Butterfly Valve	150mm	697.21
7245	Butterfly Valve	250mm	2,593.51
7240GB	Gear Operated Butterfly Valve	65mm	334.13
7241GB	Gear Operated Butterfly Valve	80mm	354.84
7242GB	Gear Operated Butterfly Valve	100mm	484.59
7243GB	Gear Operated Butterfly Valve	150mm	697.76
7244GB	Gear Operated Butterfly Valve	200mm	1,005.93



7242GB






RPZ25

### BEECO Reduced Pressure Zone Devices (15mm – 200mm)


Order Code	Description	Size	List Price
RPZ15	RPZD – Device Only	15mm	299.77
RPZ20	RPZD – Device Only	20mm	299.77
RPZ25	RPZD – Device Only	25mm	450.40
RPZ32	RPZD – Device Only	32mm	801.62
RPZ40	RPZD – Device Only	40mm	892.51
RPZ50	RPZD – Device Only	50mm	1,022.66
RPZ65	RPZD – Device Only	65mm	2,810.64
RPZ80	RPZD – Device Only	80mm	3,283.43
RPZ100	RPZD – Device Only	100mm	3,376.77
RPZ150	RPZD – Device Only	150mm	4,995.60



RPZ20C

### BEECO Reduced Pressure Zone Devices Complete (15mm – 200mm)

Order Code	Description	Size	List Price
RPZ15C	RPZD – Complete – Lockable BVs, Strainers & Unions	15mm	364.85
RPZ20C	RPZD – Complete – Lockable BVs, Strainers & Unions	20mm	364.85
RPZ25C	RPZD – Complete – Lockable BVs, Strainers & Unions	25mm	489.09
RPZ32C	RPZD – Complete – Lockable BVs, Strainers & Unions	32mm	824.34
RPZ40C	RPZD – Complete – Lockable BVs, Strainers & Unions	40mm	989.36
RPZ50C	RPZD – Complete – Lockable BVs, Strainers & Unions	50mm	1,265.96
RPZ65C	RPZD – Complete – Butterfly Valves & Strainers	65mm	3,163.83
RPZ80C	RPZD – Complete – Butterfly Valves & Strainers	80mm	2,972.34
RPZ100C	RPZD – Complete – Butterfly Valves & Strainers	100mm	3,518.55
RPZ150C	RPZD – Complete – Butterfly Valves & Strainers	150mm	5,392.51



DCV25

### BEECO Double Check Valves (15mm – 200mm)

Order Code	Description	Size	List Price
DCV15	DCV Device Only	15mm	231.43
DCV20	DCV Device Only	20mm	236.66
DCV25	DCV Device Only	25mm	273.23
DCV32	DCV Device Only	32mm	423.53
DCV40	DCV Device Only	40mm	533.04
DCV50	DCV Device Only	50mm	582.62
DCV65	DCV Device Only	65mm	2,322.11
DCV80	DCV Device Only	80mm	2,139.74
DCV100	DCV Device Only	100mm	2,184.96
DCV150	DCV Device Only	150mm	3,972.66



DCV100



DCV20C

**BEECO Double Check Valves Complete (15mm – 200mm)**

Order Code	Description	Size	List Price
DCV15C	DCV Complete – Lockable BVs, Strainers & Unions	15mm	285.96
DCV20C	DCV Complete – Lockable BVs, Strainers & Unions	20mm	291.40
DCV25C	DCV Complete – Lockable BVs, Strainers & Unions	25mm	355.98
DCV32C	DCV Complete – Lockable BVs, Strainers & Unions	32mm	575.87
DCV40C	DCV Complete – Lockable BVs, Strainers & Unions	40mm	719.83
DCV50C	DCV Complete – Lockable BVs, Strainers & Unions	50mm	919.15
DCV65C	DCV Complete – Butterfly Valves & Strainers	65mm	2,640.43
DCV80C	DCV Complete – Butterfly Valves & Strainers	80mm	2,582.23
DCV100C	DCV Complete – Butterfly Valves & Strainers	100mm	2,721.51
DCV150C	DCV Complete – Butterfly Valves & Strainers	150mm	4,208.51



SCT100

**BEECO Single Check Valves**

Order Code	Description	Size	List Price
SCT100	Single Check Valve – Flanged	100mm	1,589.36
SCT150	Single Check Valve – Flanged	150mm	1,851.06



SDCT100

**BEECO Single Detector Check Valves**

Order Code	Description	Size	List Price
SDCT100*	Single Detector Check Valve – Flanged	100mm	1,589.36
SDCT150*	Single Detector Check Valve – Flanged	150mm	1,851.06
SDCT100-20WM	Single Detector Check Valve - Flanged with 20mm Bypass kit	100mm	2,040.43
SDCT100-25S	Single Detector Check Valve - Flanged, 25mm Bypass no WM	100mm	2,392.55
SDCT100-25WM	Single Detector Check Valve - Flanged with 25mm Bypass kit	100mm	2,279.15
SDCT150-20WM	Single Detector Check Valve - Flanged with 20mm Bypass kit	150mm	2,602.66
SDCT150-25S	Single Detector Check Valve - Flanged, 25mm Bypass no WM	150mm	2,368.09
SDCT150-25WM	Single Detector Check Valve - Flanged with 25mm Bypass kit	150mm	2,725.53
SDKIT25	Metered Bypass Kit	25mm	703.82


\*Can be used with 20mm / 25mm Bypass Kit. Kits need to be ordered separately.



DDC100GB-WM

### BEECO Double Detector Check Valve Assembly

Order Code	Description	Size	List Price
DDC80	Double Check Detector Assembly	80mm	2,522.15
DDC100	Double Check Detector Assembly	100mm	3,115.94
DDC150	Double Check Detector Assembly	150mm	4,222.30
DDC80-WM	Double Check Detector Assembly with Water Meter	80mm	2,662.83
DDC100-WM	Double Check Detector Assembly with Water Meter	100mm	3,165.23
DDC150-WM	Double Check Detector Assembly with Water Meter	150mm	4,318.91
DDC100GB-WM	Double Check Detector Assembly with Meter & G.O. B/flys	100mm	3,498.51
DDC150GB-WM	Double Check Detector Assembly with Meter & G.O. B/flys	150mm	4,774.15
DDC80GB-WM	Double Check Detector Assembly with Water Met, Gear Op B/Flvs	80mm	2,995.85



RPZ20SSBC-2

### Backflow in Stainless Steel Recessed Cabinets

Order Code	Description	Size	List Price
RPZ15SSBC-1	Single RPZ in Stainless Steel Box	15mm	1,538.98
RPZ15SSBC-2	Dual RPZ in Stainless Steel Box	15mm	1,972.11
RPZ20SSBC-1	Single RPZ in Stainless Steel Box	20mm	1,623.77
RPZ20SSBC-2	Dual RPZ in Stainless Steel Box	20mm	2,007.13
RPZ25SSBC-1	Single RPZ in Stainless Steel Box	25mm	1,983.17
RPZ25SSBC-2	Dual RPZ in Stainless Steel Box	25mm	2,342.57



CH1B-1

### RPZD First Check Valve Assembly

Order Code	Description	Size	List Price
CH1B-1	RPZD – BF Repair Kit, First CV, RPZ II	15mm – 20mm	77.04
CH1B-2	RPZD – BF Repair Kit, First CV, RPZ	25mm	155.83
CH1B-3	RPZD – BF Repair Kit, First CV, RPZ	32mm – 50mm	307.06
CH1B-5	RPZD – BF Repair Kit, First CV, RPZ	65mm – 100mm	340.04
CH1B-6	RPZD – BF Repair Kit, First CV, RPZ	150mm	689.89
CH1B-7	RPZD – BF Repair Kit, First CV, RPZ	200mm	3,049.38



CH2A-1

### RPZD Second Check Valve Assembly


Order Code	Description	Size	List Price
CH2A-1	RPZD – BF Repair Kit, Second CV, RPZE II	15mm – 20mm	71.02
CH2A-2	RPZD – BF Repair Kit, Second CV, RPZ	25mm	160.38
CH2A-3	RPZDE – BF Repair Kit, Second CV, RPZ	32mm – 50mm	291.00
CH2A-5	RPZD – BF Repair Kit, Second CV, RPZ	65mm – 100mm	469.81
CH2A-6	RPZD – BF Repair Kit, Second CV, RPZ	150mm	684.91
CH2A-7	RPZD – BF Repair Kit, Second CV, RPZ	200mm	3,047.55



RPZ-RK1

### RPZD Rubber Kits

Order Code	Description	Size	List Price
RPZ-RK1	RPZD – BF Rubber Kit, RPZ II	15mm – 20mm	183.19
RPZ-RK2	RPZD – BF Rubber Kit, RPZ	25mm	207.64
RPZ-RK3	RPZD – BF Rubber Kit, RPZ	32mm – 50mm	245.19
RPZ-RK5	RPZD – BF Rubber Kit, RPZ	65mm – 100mm	1,118.74
RPZ-RK6	RPZD – BF Rubber Kit, RPZ	150mm	1,222.43
RPZ-RK7	RPZD – BF Rubber Kit, RPZ	200mm	1,742.09



RVP-1

### RPZD Relief Valve Kits

Order Code	Description	Size	List Price
RVP-1	RPZD – BF Repair Kit, RV, RPZ	15mm – 25mm	248.89
RVP-2	RPZD – BF Repair Kit, RV, RPZ	32mm – 50mm	289.57
RVP-3	RPZD – BF Repair Kit, RV, RPZ	65mm – 150mm	835.51
RVP-4	RPZD – BF Repair Kit, RV, RPZ	200mm	987.70



CH1A-1

### DCV First Check Assembly

Order Code	Description	Size	List Price
CH1A-1	DCV – BF Repair Kit, First CV, DCV	15 – 20mm	71.02
CH1A-2	DCV – BF Repair Kit, First CV, DCV	25mm	149.77
CH1A-3	DCV – BF Repair Kit, First CV, DCV	32mm – 40mm	233.00
CH1A-4	DCV – BF Repair Kit, First CV, DCV	50mm	320.81
CH1A-5	DCV – BF Repair Kit, First CV, DCV	65mm – 100mm	1,212.79
CH1A-6	DCV – BF Repair Kit, First CV, DCV	150mm	918.68
CH1A-7	DCV – BF Repair Kit, First CV, DCV	200mm	3,047.55



CH2A-1

### DCV Second Check Valve Assembly

Order Code	Description	Size	List Price
CH2A-1	DCV – BF Repair Kit, Second CV, DCVE II	15mm – 20mm	71.02
CH2A-2	DCV – BF Repair Kit, Second CV, DCV	25mm	160.38
CH2A-3	DCVE – BF Repair Kit, Second CV, DCV	32mm – 50mm	291.00
CH2A-5	DCV – BF Repair Kit, Second CV, DCV	65mm – 100mm	469.81
CH2A-6	DCV – BF Repair Kit, Second CV, DCV	150mm	684.91
CH2A-7	DCV – BF Repair Kit, Second CV, DCV	200mm	3,047.55



DCV-RK1

### DCV Rubber Kits

Order Code	Description	Size	List Price
DCV-RK1	DCV – BF Rubber Kit, DCVE	15mm – 20mm	59.91
DCV-RK2	DCV – BF Rubber Kit, DCVE	25mm	62.38
DCV-RK3	DCV – BF Rubber Kit, DCVE	32mm – 40mm	93.96
DCV-RK4	DCV – BF Rubber Kit, DCVE	50mm	121.43
DCV-RK5	DCV – BF Rubber Kit, DCV	65mm – 100mm	480.30
DCV-RK6	DCV – BF Rubber Kit, DCV	150mm	560.13
DCV-RK7	DCV – BF Rubber Kit, DCV	200mm	790.79



SR001

**Flomatic Reduced Pressure Zone Devices (15mm – 50mm)**

Order Code	Description	Size	List Price
SR001	RPZD – Device Only	15mm	451.47
SR003	RPZD – Device Only	25mm	573.29
SR004	RPZD – Device Only	32mm	852.77
SR005	RPZD – Device Only	40mm	931.59



**Flomatic Reduced Pressure Zone Devices (65mm – 200mm)**

Order Code	Description	Size	List Price
SR010	RPZD – Device Only	150mm	7,237.74
SR011	RPZD – Device Only	200mm	13,558.22




**Flomatic Reduced Pressure Zone Devices Complete (15mm – 50mm)**

Order Code	Description	Size	List Price
SR003C-L	RPZD – Complete – Lockable BVs	25mm	695.10
SR004C	RPZD – Complete	32mm	945.92
SR004C-L	RPZD – Complete – Lockable BVs	32mm	945.92
SR005C-L	RPZD – Complete – Lockable BVs	40mm	1,218.23
SR006C	RPZD – Complete	50mm	1,361.55
SR006C-L	RPZD – Complete – Lockable BVs	50mm	1,361.55



**Flomatic Reduced Pressure Zone Devices Complete (65mm – 200mm)**

Order Code	Description	Size	List Price
SR008C	RPZD – Complete	80mm	3,583.05
SR010C	RPZD – Complete	150mm	7,739.37
SR011C	RPZD – Complete	200mm	16,959.73



SD002

**Flomatic Double Check Valves (20mm – 50mm)**

Order Code	Description	Size	List Price
SD002	DCV Device Only	20mm	300.97
SD003	DCV Device Only	25mm	329.64
SD004	DCV Device Only	32mm	529.50
SD005	DCV Device Only	40mm	623.45
SD006	DCV Device Only	50mm	709.44



SD007

**Flomatic Double Check Valves (65mm – 200mm)**

Order Code	Description	Size	List Price
SD007	DCV Device Only	65mm	2,215.60
SD009	DCV Device Only	100mm	3,583.05
SD010	DCV Device Only	150mm	5,273.16
SD011	DCV Device Only	200mm	11,351.08



SD002C

**Flomatic Double Check Valves Complete (20mm – 50mm)**

Order Code	Description	Size	List Price
SD002C	DCV Complete	20mm	386.97
SD003C	DCV Complete	25mm	429.96
SD003FS	DCV Complete – Lockable BVs – Fire Services	25mm	356.34
SD004C	DCV Complete	32mm	763.05
SD005C	DCV Complete	40mm	902.92
SD006C	DCV Complete	50mm	1,160.90



SD007C

**Flomatic Double Check Valves Complete (65mm – 200mm)**

Order Code	Description	Size	List Price
SD007C	DCV Complete	65mm	2,769.50
SD009C	DCV Complete	100mm	3,877.30
SD010C	DCV Complete	150mm	6,508.33
SD010FS	DCV Complete – 2x GO Butterfly Valves – Fire Services	150mm	5,906.32



SCV150G

**Flomatic Single Check Valves**

Order Code	Description	Size	List Price
SCV100	Single Check Valve – Flanged	100mm	1,658.82
SCV100G	Single Check Valve – Grooved	100mm	1,658.82



SDCV100G

**Flomatic Single Detector Check Valves**

Order Code	Description	Size	List Price
SDCV100*	Single Detector Check Valve – Flanged	100mm	1,658.82
SDCV150*	Single Detector Check Valve – Flanged	150mm	2,508.13


\*Can be used with 20mm / 25mm Bypass Kit. Kits need to be ordered separately.



DCDA100-WM

## Double Detector Check Valve Assembly

Order Code	Description	Size	List Price
DCDA80	Double Check Detector Assembly	80mm	3,419.00
DCDA100	Double Check Detector Assembly	100mm	3,992.91
DCDA150	Double Check Detector Assembly	150mm	6,410.62
DCDA200	Double Check Detector Assembly	200mm	11,294.91
DCDA80-WM	Double Check Detector Assembly with Water Meter	80mm	3,541.11
DCDA100-WM	Double Check Detector Assembly with Water Meter	100mm	4,090.59
DCDA150-WM	Double Check Detector Assembly with Water Meter	150mm	6,471.68
DCDA200-WM	Double Check Detector Assembly with Water Meter	200mm	11,417.02
DCDA80FS-WM	Double Check Detector Assembly with Water Meter & G.O. Butterfly Valves	80mm	4,090.59
DCDA100FS-WM	Double Check Detector Assembly with Water Meter & G.O. Butterfly Valves	100mm	4,517.97
DCDA150FS-WM	Double Check Detector Assembly with Water Meter & G.O. Butterfly Valves	150mm	7,082.22
DCDA200FS-WM	Double Check Detector Assembly with Water Meter & G.O. Butterfly Valves	200mm	12,393.89




89878P9

## RPZD First Check Valve Assembly

Order Code	Description	Size	List Price
89878P9	RPZDE II – BF Repair Kit, First CV, RPZ II	15mm – 20mm	78.14
89848P0	RPZDE – BF Repair Kit, First CV, RPZ	25mm	82.58
89848P2	RPZDE – BF Repair Kit, First CV, RPZ	32mm	118.56
89848P3	RPZDE – BF Repair Kit, First CV, RPZ	40mm – 50mm	208.06
89848P5	RPZD – BF Repair Kit, First CV, RPZ	65mm – 80mm	609.42
89848P7	RPZD – BF Repair Kit, First CV, RPZ	100mm	1,074.67
89848P9	RPZD – BF Repair Kit, First CV, RPZ	150mm	1,507.15
89848P10	RPZD – BF Repair Kit, First CV, RPZ	200mm	6,028.61






89879P9

## RPZD Second Check Valve Assembly

Order Code	Description	Size	List Price
89879P9	RPZDE II – BF Repair Kit, Second CV, RPZE II	15mm – 20mm	80.39
89849P0	RPZDE – BF Repair Kit, Second CV, RPZ	25mm	87.85
89849P2	RPZDE – BF Repair Kit, Second CV, RPZ	32mm	112.68
89849P3	RPZDE – BF Repair Kit, Second CV, RPZ	40mm – 50mm	190.33
89849P5	RPZD – BF Repair Kit, Second CV, RPZ	65mm – 80mm	617.98
89849P7	RPZD – BF Repair Kit, Second CV, RPZ	100mm	1,113.99
89849P9	RPZD – BF Repair Kit, Second CV, RPZ	150mm	1,703.74
89849P10	RPZD – BF Repair Kit, Second CV, RPZ	200mm	4,586.98

The RPZD & DCV both use the same Second Check Valve Assembly part



B93RK99

## RPZD Rubber Kits


Order Code	Description	Size	List Price
B93RK99	RPZDE II – BF Rubber Kit, RPZ II	15mm – 20mm	39.32
B92RK00	RPZDE – BF Rubber Kit, RPZ	25mm	111.40
B92RK02	RPZDE – BF Rubber Kit, RPZ	32mm	222.80
B92RK03	RPZDE – BF Rubber Kit, RPZ	40mm – 50mm	222.80
B92RK05	RPZD – BF Rubber Kit, RPZ	65mm – 80mm	180.69
B92RK07	RPZD – BF Rubber Kit, RPZ	100mm	209.69
B92RK09	RPZD – BF Rubber Kit, RPZ	150mm	288.33
B92RK10	RPZD – BF Rubber Kit, RPZ	200mm	589.75



89880P9

## RPZD Relief Assembly Kits

Order Code	Description	Size	List Price
89880P9	RPZDE II – BF Repair Kit, RV, RPZ II	15mm – 20mm	222.80
89850P0	RPZDE – BF Repair Kit, RV, RPZ	25mm	307.98
89850P2	RPZDE – BF Repair Kit RV, RPZ	32mm	471.80
89850P3	RPZDE – BF Repair Kit, RV, RPZ	40mm – 50mm	471.80
89850P5	RPZD – BF Repair Kit, RV, RPZ	65mm – 80mm	511.12
89850P7	RPZD – BF Repair Kit, RV, RPZ	100mm	589.75
89850P9	RPZD – BF Repair Kit, RV, RPZ	150mm	622.52
89850P10	RPZD – BF Repair Kit, RV, RPZ	200mm	982.93



89855P0

## DCV First Check Valve Assembly

Order Code	Description	Size	List Price
89855P0	DCVE – BF Repair Kit, First CV, DCV	20mm – 25mm	88.64
89855P2	DCVE – BF Repair Kit, First CV, DCV	32mm	99.96
89855P3	DCVE – BF Repair Kit, First CV, DCV	40mm – 50mm	111.64
89855P5	DCVE – BF Repair Kit, First CV, DCV	65mm – 80mm	609.42
89855P7	DCV – BF Repair Kit, First CV, DCV	100mm	864.97
89855P9	DCV – BF Repair Kit, First CV, DCV	150mm	1,703.74
89855P10	DCV – BF Repair Kit, First CV, DCV	200mm	4,586.98




89879P9

### DCV Second Check Valve Assembly

Order Code	Description	Size	List Price
89879P9	DCVE – BF Repair Kit, Second CV, DCVE II	15mm – 20mm	80.39
89849P0	DCVE – BF Repair Kit, Second CV, DCV	25mm	87.85
89849P2	DCVE – BF Repair Kit, Second CV, DCV	32mm	112.68
89849P3	DCVE – BF Repair Kit, Second CV, DCV	40mm – 50mm	190.33
89849P5	DCV – BF Repair Kit, Second CV, DCV	65mm – 80mm	617.98
89849P7	DCV – BF Repair Kit, Second CV, DCV	100mm	1,113.99
89849P9	DCV – BF Repair Kit, Second CV, DCV	150mm	1,703.74
89849P10	DCV – BF Repair Kit, Second CV, DCV	200mm	4,586.98

The RPZD & DCV both use the same Second Check Valve Assembly part



B91RK00

### DCV Rubber Kits

Order Code	Description	Size	List Price
B91RK00	DCVE – BF Rubber Kit, DCVE	20mm – 25mm	28.83
B91RK02	DCVE – BF Rubber Kit, DCVE	32mm	52.56
B91RK03	DCVE – BF Rubber Kit, DCVE	40mm – 50mm	85.19
B91RK05	DCVE – BF Rubber Kit, DCVE	65mm – 80mm	111.40
B91RK07	DCV – BF Rubber Kit, DCV	100mm	209.69
B91RK09	DCV – BF Rubber Kit, DCV	150mm	327.65
B91RK10	DCV – BF Rubber Kit, DCV	200mm	615.97



7190QC



7190



7190



7190SK



7190AK




7190H.RED



7190H.BLUE



7190H.YELLOW



B93SD7



89861S7

## RyeMetal Backflow Test Kits and Tools / Parts

Order Code	Description	List Price
7190QC	Quick Connect Kit	100.47
7190SK	Quick Connect Swivel Coupling Kit	50.24
7190AK	Quick Connect Bush Adaptor Kit	50.24
TC18BSP	Test Cock – 1/8" MI x 1/4" FI	31.40
7190	Backflow Device Test Kit	1,500.87
7190H.RED	Red Replacement Hose	63.96
7190H.BLUE	Blue Replacement Hose	63.96
7190H.YELLOW	Yellow Replacement Hose	63.96

## SCVT / SCDAT Rubber Kits


Order Code	Description	List Price
B93SD7	4" SDCV / SCVT Service Rubber Kit	52.33
B93SD9	6" SDCV / SCVT Service Rubber Kit	69.78
B93SD10	8" SDCV / SCVT Service Rubber Kit	104.66

## Testable Single Check Valves – 7kPa First Check Assembly

Order Code	Description	List Price
89861S7	4" SCVT First Check Valve Assembly – 7kPa	674.50
89861S9	6" SCVT First Check Valve Assembly – 7kPa	1,418.77
89861S10	8" SCVT First Check Valve Assembly – 7kPa	2,500.29

## Testable Single Check Detectors – 35kPa First Check Assembly

Order Code	Description	List Price
8986SD7	4" SDCVT First Check Valve Assembly – 35kPa	697.76
8986SD9	6" SDCVT First Check Valve Assembly – 35kPa	1,500.17
8986SD10	8" SDCVT First Check Valve Assembly – 35kPa	2,616.58




12137

## SURESEAL Tapping Bands – AC and Compatible Pipe – Series 2

Order Code	Description	List Price
12137	58mm x 20mm	125.16
12141	80mm x 20mm	133.40
12142	80mm x 25mm	133.40
12145	80mm x 50mm	133.40
12151*	100mm x 20mm	61.89
12152*	100mm x 25mm	61.89
12153	100mm x 32mm	75.64
12154	100mm x 40mm	75.64
12155	100mm x 50mm	75.64
12171	150mm x 20mm	96.29
12172	150mm x 25mm	96.29
12173	150mm x 32mm	116.90
12174	150mm x 40mm	116.90
12175	150mm x 50mm	116.90
12181	200mm x 20mm	371.34
12182	200mm x 25mm	371.34
12185	200mm x 50mm	371.34
12191	225mm x 20mm	481.34
12192	225mm x 25mm	481.34
12195	225mm x 50mm	481.34
12201	250mm x 20mm	481.34
12202	250mm x 25mm	481.35
12205	250mm x 50mm	481.34
12221	300CD x 20mm	584.50
12222	300CD x 25mm	584.50
12225	300CD x 50mm	584.50
12231	375mm x 20mm	783.92
12232	375mm x 25mm	725.84
12235	375mm x 50mm	783.92
12245	450mm x 50mm	1,095.13
12255	500mm x 50mm	1,400.75
12275	600mm x 50mm	1,664.08

\*Standard with Stainless Steel bolts. Insulation may be required for Bi-Metallic contact.



12032

**SURESEAL Tapping Bands – White PVC Pipe – Series 1**

Order Code	Description	List Price
12011	50mm x 20mm	125.16
12012	50mm x 25mm	75.64
12014	63mm x 20mm Poly	125.16
12015	63mm x 25mm Poly	154.04
12031	80mm x 20mm	200.80
12032	80mm x 25mm	68.76
12034	80mm x 40mm	200.80
12035	80mm x 50mm	200.80
12041	100mm x 20mm	68.76
12042	100mm x 25mm	68.76
12043	100mm x 32mm	200.80
12044	100mm x 40mm	200.80
12045	100mm x 50mm	200.80
12061	150mm x 20mm	103.15
12062	150mm x 25mm	103.15
12063	150mm x 32mm	103.15
12064	150mm x 40mm	103.15
12065	150mm x 50mm	103.15
12086	200mm x 20mm	371.34
12087	200mm x 25mm	371.34
12089	200mm x 40mm	371.34
12090*	200mm x 50mm	371.34
12091	225mm x 20mm	481.34
12092	225mm x 25mm	481.34
12101	250mm x 20mm	481.34
12102	250mm x 25mm	481.35
12105*	250mm x 50mm	481.34
12121	300mm x 20mm	584.50
12122	300mm x 25mm	584.50
12125*	300mm x 50mm	584.50

White PVC Pipe Series 1 – Full Circle Model.


\*Use reducing bushes to accommodate any smaller offtake.



12501

**SURESEAL Coated Tapping Bands**

Order Code	Description	List Price
12501	100mm x 20mm	110.01
12502	100mm x 25mm	110.01
12506	150mm x 20mm	122.40
12507	150mm x 25mm	122.40



12341

## SURESEAL Tapping Bands – Maintenance Type

Order Code	Description	List Price
12342	80mm x 25mm	206.29
12351	100mm x 20mm	220.05
12352	100mm x 25mm	220.04
12355	100mm x 50mm	220.04
12371	150mm x 20mm	213.52
12372	150mm x 25mm	233.81
12375*	150mm x 50mm	316.31
12392	225mm x 25mm	687.63
12395*	225mm x 50mm	687.63
12397	300mm x 25mm	687.63
12400*	300mm x 50mm	722.02

\*Use reducing bushes to accommodate smaller off takes. Tapping Saddle Maintenance Type for use on AC or oversize AC pipe. Designed with 50mm wide flexible band to better accommodate pipe size and shape variations.



10010

## Tapping Kits

Order Code	Description	List Price
10010	<p>Rapid Tap Main Tapping Kit</p> <p>Contents include: Rapid Tap case, Rapid Tap Drilling Tool complete with 20 and 25mm TPFNR Adaptors and 20 and 25mm Tipped Drills, 20 and 25mm PVC Drill Bits, Ratchet Spanner, Valve Key, Barrel Spanner and Adaptors for 20 and 25mm Ball Valves.</p> <p>Extras available: Universal Spanner, 20mm TPF Adaptor, 25mm TPF Adaptor, Drill Extension and Bleed Heart Valve Adaptor.</p>	2,442.85
10500	<p>Major Tapping Kit</p> <p>Contents include: Major Tap case, Major Tap Drilling Tool, Ratchet Spanner, 32mm TPFNR Adaptor, 40mm TPFNR Adaptor; 50mm TPFNR Adaptor, 32mm Tipped Drill, 40mm Tipped Drill, 50mm Tipped Drill and Valve Key.</p> <p>Extras available: Drill Extension.</p>	6,361.43
10700	<p>WATGAS Boring Machine</p> <p>Contents include: Watgas Borer Case, Major Tap Drilling Tool, Ratchet Spanner, 80/100mm Flange Adaptor, Spindle Extension, Clearance Valve, 80mm Tipped Drill and 100mm Tipped Drill.</p> <p>Extras available: Adaption kit (10800) to allow 150mm drilling.</p>	9,108.00



10030



10040



10060



10170



10540

## Tapping Kit Accessories

Order Code	Description	Size	List Price
10030	Rapid Tap Drilling Tool	–	1,871.38
10040	Rapid Tap Ratchet Spanner	–	150.72
10060	T.P.F. Adaptor	25mm	231.09
10070	T.P.F. Adaptor	20mm	231.09
10080	Rapid Tap Plain Drill	20mm	261.66
10082	Rapid Tap Plain Drill	5/8"	279.10
10090	Rapid Tap Plain Drill	25mm	273.29
10100	Rapid Tap Tipped Drill	20mm	290.73
10102	Rapid Tap Tipped Drill	5/8"	436.10
10110	Rapid Tap Tipped Drill	25mm	331.44
10111	PVC Hole Saw (Actual DIA 23/32")	20mm	337.24
10112	PVC Hole Saw (Actual DIA 7/8")	25mm	372.13
10120	Rapid Tap TPFNR Adaptor	20mm	216.03
10125	Rapid Tap Ball Valve Adaptor	20mm	213.52
10130	Rapid Tap TPFNR Adaptor	25mm	257.47
10135	Rapid Tap Ball Valve Adaptor	–	213.52
10136	Heart Valve Adaptor	20mm	477.26
10137	Heart Valve Adaptor	25mm	477.26
10140	Rapid Tap Drill Extension (65mm long)	–	144.43
10170	Rapid Tap Valve Key	–	11.93
10175	Rapid Tap Barrel Spanner	–	282.59
10201	Plastic Insert Bush	20mm	1.76
10510	Major Tap Plain Drill	32mm	709.39
10511	Major Tap Plain Drill	40mm	918.71
10512	Major Tap Plain Drill	50mm	988.49
10513	Major Tap Plain Drill	80mm	1,628.10
10514	Major Tap Plain Drill	100mm	2,558.44
10520	Major Tap Tipped Drill	32mm	767.54
10521	Major Tap Tipped Drill	40mm	941.97
10522	Major Tap Tipped Drill	50mm	1,011.74
10525	Major Tap Twist Drill (Requires Adaptor 10526)	32mm	930.34
10526	Twist Drill Machine Adaptor	–	180.26
10527	Major Tap Twist Drill (Requires Adaptor 10526)	40mm	1,104.78
10528-AU	Major Tap Twist Drill (Requires Adaptor 10526)	50mm	1,162.93
10530-AU	Major Tap Adaptor	32mm	345.39
10531-AU	Major Tap Adaptor	40mm	370.51
10532-AU	Major Tap Adaptor	50mm	401.91
10533-AU	Spindle Extension	–	208.49
10540-AU	Valve Key Major Tap	–	91.28

## Tapping Kit Accessories (contin.)


Order Code	Description	Size	List Price
10700	WATGAS Boring Machine	80/100mm	9,108.00
10720	Tipped Drill	80mm	1,511.80
10721	Tipped Drill	100mm	3,415.50
10731	Adaptor Flange for 80 - 100mm (Major Tapping)	–	761.72
10784-1	Adaptor Drill M/Tap	3/8"	523.32
10784-2	Pilot Drills HSS	3/8"	63.96
10787	Tipped Drill	150mm	5,000.58
10800	WATGAS Borer Drilling	150mm	5,698.34



11301-AU

## Standard Ferrule Cocks

Order Code	Description	Size	List Price
11301-AU	Standard Ferrule Cock	20mm	62.70
11302	Standard Ferrule Cock	25mm	94.76
11303	Standard Ferrule Cock	32mm	212.86
11304	Standard Ferrule Cock	40mm	256.58
11305	Standard Ferrule Cock	50mm	291.58




11001

## Capped / Bonnet Ferrule Cocks

Order Code	Description	Size	List Price
11001	Capped Ferrule Cock	20mm	72.88
11002	Capped Ferrule Cock	25mm	118.08
11003	Capped Ferrule Cock	32mm	313.43
11004	Capped Ferrule Cock	40mm	313.43
11005	Capped Ferrule Cock	50mm	495.65
11011	Bonnet Ferrule Cock	20mm	77.27
11012	Bonnet Ferrule Cock	25mm	122.46
11013	Bonnet Ferrule Cock	32mm	349.87
11014	Bonnet Ferrule Cock	40mm	349.87
11015	Bonnet Ferrule Cock	50mm	546.69
11021	Capped Poly Ferrule Cock	20mm x 25mm	86.00
11022	Capped Poly Ferrule Cock	25mm x 32mm	128.28
11081	Bonnet Poly Ferrule Cock	20mm x 25mm	91.85
11082	Bonnet Poly Ferrule Cock	25mm x 32mm	137.03

Must be used in conjunction with Ferrule Bends.



11021

## Ferrule Bonnet Assemblies

Order Code	Description	Size	List Price
11691	Ferrule Bonnet Assembly	20mm	43.01
11692	Ferrule Bonnet Assembly	25mm	48.11
11693	Ferrule Bonnet Assembly	32mm	69.26
11694	Ferrule Bonnet Assembly	40mm	78.74
11695	Ferrule Bonnet Assembly	50mm	109.34



11691





11051

### Ferrule Bends

Order Code	Description	Size	List Price
17002-AU	Capillary Copper Ferrule Bend	20mm	28.63
17003	Capillary Copper Ferrule Bend	25mm	39.35
11041	Flared Compression Ferrule Bends	20mm	41.57
11042	Flared Compression Ferrule Bends	25mm	49.58
11043	Flared Compression Ferrule Bends	32mm	132.69
11044	Flared Compression Ferrule Bends	40mm	180.79
11045	Flared Compression Ferrule Bends	50mm	198.26
11051	BSP Ferrule Bend	20mm MI	35.00
11052	BSP Ferrule Bend	25mm MI	43.01
11053	BSP Ferrule Bend	32mm MI	118.09
11054	BSP Ferrule Bend	40mm MI	148.71
11055	BSP Ferrule Bend	50mm MI	172.04
11062	BSP Ferrule Bend	25mm MI	86.64



WM264MSP and WM657MSPQLD

### Metered Standpipes

Order Code	Description	Size	List Price
WM264MSP	Metered Standpipes	25mm BSP Thread	606.74
WM257MSPTAP	Metered Standpipes	25mm Stand Pipe with 20mm Tap	1,043.26
WM326MSP	Metered Standpipes	32mm BSP Thread (high flow)	1,964.48
WM654MSP	Metered Standpipes	65mm BSP Thread	2,111.82
WM656MSPCFA	Metered Standpipes	65mm CFA Thread	2,111.82
WM657MSPQLD	Metered Standpipes	65mm QLD Round Thread	2,111.82
WM658MSPNSW	Metered Standpipes	65mm NSW Thread	2,111.82



FS3027

### Non-Metered Standpipes

Order Code	Description	Size	List Price
FS3021	Non-Metered Standpipes	65mm CFA	971.02
FS3027	Non-Metered Standpipes	65mm FBT	965.83
FS3036	Non-Metered Standpipes	65mm QRT	966.43
FS3040	Non-Metered Standpipes	65mm Storz	1,094.50

## Pricing

List Price is per unit. All prices exclude GST.

If you are requiring an item that you do not see listed in this booklet, please contact our customer service team on 1800 810 803.

## Terms and Conditions

No party should rely upon the contents of this publication as to the fitness of any particular product for any particular use or application. Goods are offered with the benefit of the manufacturers warranty but Reliance Worldwide Corporation (Aust.) Pty. Ltd. shall not be liable for any loss or damage either direct or consequential arising out of any defects.

Reliance Worldwide Corporation reserves the right to modify designs and specifications and to withdraw and introduce products at any time without notice.

No part of this publication may be reproduced, copied or transmitted in any form by any means graphic, electronic or mechanical (including photo-copying, recording, taping or by any information storage and retrieval system) without prior permission in writing of the publisher Reliance Worldwide Corporation (Aust.) Pty. Ltd.

## Installation

Installation is subject to the requirements of the applicable regulatory authority, the National Construction Code Volume Three – Plumbing Code of Australia, associated reference standards as applicable at the time and AS/NZS 3500. For further Scope of Use, please visit [www.rmc.com.au](http://www.rmc.com.au).

## Reliance Worldwide Corporation Warranty

Reliance Worldwide Corporation (Aust.) Pty. Ltd. (RWC) will either replace or repair any defective goods where the defect arose as a result of manufacture for up to two (2) years (see website for more details). You may contact RWC at the phone number, address or e-mail shown and will be required to return the goods for evaluation. Should the defect be found to be one of our manufacture we will send you a replacement product to your stated address at our expense. Our goods come with guarantees that cannot be excluded under Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and failure does not amount to a major failure.

® = Registered Trade Mark of  
Reliance Worldwide Corporation (Aust.) Pty. Ltd.  
27-28 Chapman Place, Eagle Farm QLD 4009,  
Australia | 1800 810 803 | [sales.au@rwc.com](mailto:sales.au@rwc.com)

© 2023 All rights reserved










 1800 810 803

 1800 062 669

 [sales.au@rwc.com](mailto:sales.au@rwc.com)

 [rwc.com.au](http://rwc.com.au)

AN RWC BRAND  Reliance Worldwide Corporation (Aust.) Pty. Ltd.  
27-28 Chapman Place, Eagle Farm QLD 4009,  
Australia | ABN 71 004 784 301

AU-RMC-PG0103-0324-R10

The RWC logo, consisting of the letters 'RWC' in a bold, black, sans-serif font, positioned in the bottom right corner of the page.